Author Index to Volume 20

Aaron, B. B.
—; Gosline, J. M.: Elastin as a Random-Network Elastomer: A Mechanical and Optical Analysis of Single Elastin Fibers, 1247
Abe, H. See Go, N., 991
—; Go, N.: Noninteracting Local-Structure Model of Folding and Unfolding Transition in Globular Proteins. II. Application to Two-Dimensional Lattice Proteins, 1013
Adelsky, I. See Winter, W. T., 2691
Akutsu, H. See Kakiuchi, K., 345
Alkema, D. See Bell, R. A., 1383
Allen, F. S. See Gray, D. M., 1337
Allison, S. A. See Lin, S. C., 209; Schurr, J. M., 251
—; Herr, J. C.; Schurr, J. M.: Structure of Viral ϕ29 DNA Condensed by Simple Triamines: A Light-Scattering and Electron-Microscopy Study, 469
Altona, C. See Haasnoot, C. A. G., 1211
Ananthanarayanan, V. S. See Sridhara, S., 1435
Anderson, C. F. See Klein, B. K., 2263
Anufrieva, E. V. See Semisotnov, G. V., 2287
Apolonnik, N. V. See Kuznetsov, I. A., 2083
Applequist, J.
Theoretical π-π^* Absorption and Circular Dichroic Spectra of Helical Poly(L-proline) Forms I and II, 2311
Theoretical π-π^* Circular Dichroic Spectra of Helical Poly(glycine) and Poly(L-alanine) as Functions of Backbone Torsion Angles, 387
Araki, T. See Ueyama, N., 2485

Balaram, P. See Venkatachalapathi, Y. V., 625, 1123, 1137
Baldwin, J. P. See Braddock, G. W., 327
Banks, B. E. C. See Walde, F., 373
Bell, R. A.
—; Everett, J. R.; Hughes, D. W.; Alkema, D.; Hader, P.; Neilson, T.; Romaniuk, P. J.: Nearest-Neighbor and Next-Nearest-Neighbor Effects in the Proton NMR Spectra of the Oligoribonucleotides Ap*X*pG, CP*X*pG, CpAp*X*pUpG, ApGp*X*pC, and ApGp*X*pCpU, 1383
Benbasat, J. A. See Fulmer, A. W., 1147
Benedetti, E.
—; Di Blasio, B.; Pavone, V.; Pedone, C.; Felix, A.; Goodman, M.: Conformational Studies of Peptides: Crystal and Molecular Structures of L-3,4-Dehydroproline and its *t*-Butoxycarbonyl and Acetyl Amide Derivatives, 283
—; Di Blasio, B.; Pavone, V.; Pedone, C.; Toniolo, C.; Bonora, G. M.: Self-Association of N-Protected α-Amino Acids. Optically Active and Racemic *N-tert*-Butyloxycarbonyl-Alanine, 1635
Berger, R. L. See Marini, M. A., 2253
Blackwell, J. See Lee, D. M., 2165
Blake, R. D. See Yen, W. S., 1161
Bloomfield, V. A. See Dwyer, J. D., 2323; Fulmer, A. W., 1147
Blout, E. R.
Cyclic Peptides: Past, Present, and Future, 1901
Bolton, P. H.
—; Mirau, P. A.; Shafer, R. H.; James, T. L.: Interaction of the Antimalarial Drug Fluoroquine with DNA, tRNA, and Poly(A): ^{19}F-NMR Chemical-Shift and Relaxation, Optical Absorption, and Fluorescence Studies, 435
Bonora, G. M. See Benedetti, E., 1635; Garnier, A., 951
Borochov, N. See Kam, Z., 2671
—; Eisenberg, H.; Kam, Z.: Dependence of DNA Conformation on the Concentration of Salt (Communication), 231
Boudouris, G. See Leveque, J. L., 2649
Boussard, G.
—; Marraud, M.: Role des Electrons π des Fonctions Amide et Ester dans les Peptides et Depsipeptides, 169
Bradbury, E. M. See Braddock, G. W., 327
Braddock, G. W.
—; Baldwin, J. P.; Bradbury, E. M.: Neutron-Scattering Studies of the Structure of Chromatin Core Particles in Solution, 327
Brennan, M.
—; Davison, P. F.: Influence of the Telopeptides on Type I Collegen Fibrillogenesis, 2195

Brian, A. A.
—; Frisch, H. L.; Lerman, L. S.: Thermodynamics and Equilibrium Sedimentation Analysis of the Close Approach of DNA Molecules and a Molecular Ordering Transition, 1305
Broch, H. See Cabrol, D., 269
Brown, G. L. See Hartman, R. F., 2635
Bumpus, F. M. See Fermandjian, S., 1971

Cabrol, D.
—; Broch, H.; Vasilescu, D.: Quantum-Mechanical Study of Model Molecules in Relation to Collagen Structure. II. (Gly-Phe-Pro) and (Gly-Pro-Phe) Repeating Units, 269
Campagnari, F. See Van Steenwinkel, R., 915
Cantor, C. R. See Dieterich, A. E., 111
Chen, Y-N. See Niu, C-I., 1833
Clementi, E. See Corongiu, G., 551, 2427
Cole, R. H. See Molinari, R. J., 977
Colen, A. H.
—; Medary, R. T.; Fisher, H. F.: Transient-Phase Energetics of the Oxidative Deamination of L-Glutamate by L-Glutamate Dehydrogenase and NADP: A Reaction with a Large Negative Heat Capacity of Activation, 879
Cordone, L.
—; Cupane, A.; San Biagio, P. L.; Vitrano, E.: Effect of Some Organic Cosolvents on the Reaction of Hemoglobin with Oxygen, 39
—; Cupane, A.: Effects of Some Organic Cosolvents on the Functional Properties of Hemoglobin: Kinetics of O_2 Displacement by CO, 2137
—; Cupane, A.; San Biagio, P. L.; Vitrano, E.: Temperature Dependence of the Effects of Some Monohydric Alcohols on the Oxygen Affinity of Hemoglobin: Determination and Analysis of Thermodynamic Parameters, 53
Corongiu, G.
—; Clementi, E.: Simulations of the Solvent Structure for Macromolecules. I. Solvation of B-DNA Double Helix at T = 300 K, 551
—; Clementi, E.: Simulations of the Solvent Structure for Macromolecules. II. Structure of Water Solvating Na^+-B-DNA at 300 K and a Model for Conformational Transitions Induced by Solvent Variations, 2427
Cosani, A. See Terbojevich, M., 2213
Crimmins, D. L.
—; Holtzer, A.: Hetero-α-Helical, Two-Chain Coiled-Coils. Clam–Worm Hybrid Paramyosins, 925
Cupane, A. See Cordone, L., 39, 53, 2137
Currie, B. See Madison, V., 707
Cushman, D. W. See Ondetti, M. A., 2001

Dateo, C.
—; Epstein, I. R.: Kinetics of Nucleic Acid–Large Ligand Interactions: Multiplet-Closure Approximations and Matrix-Iteration Techniques, 1651
Daune, M. See Sturm, J., 765
Davison, P. F. See Brennan, M., 2195
Dearing, A. See Kollman, P. A., 2583
De Leeuw, F. A. A. M. See Haasnoot, C. A. G., 1211
De Leeuw, H. P. M. See Haasnoot, C. A. G., 1211
Dempsey, C. J. See Walde, F., 373
De Santis, P.
—; Morosetti, S.; Palleschi, A.; Savino, M.: Conformational Analysis of Double-Stranded B-Type DNA Structures, 1727
—; Morosetti, S.; Palleschi, A.; Savino, M.: Conformational and Structural Constraints in Double-Helical Polynucleotides, 1707
Devarajan, S.
—; Easwaran, K. R. K.: A Circular Dichroism Study of Valinomycin Barium Ion Complex, 891
Di Blasio, B. See Benedetti, E., 283, 1635
Dieterich, A. E.
—; Cantor, C. R.: Kinetics of Nucleosome Unfolding at Low Ionic Strength, 111
Drobnik, J. See Pivcova, H., 1605; Saudek, V., 1615
Dupont, G. See Ernst, C., 1575
Dwyer, J. D.
—; Bloomfield, V. A.: Binding of Multivalent Ligands to Mobile Receptors in Membranes, 2323

Easwaran, K. R. K. See Devarajan, S., 891
Eden, D. See Elias, J. G., 2369
Eisenberg, H. See Borochov, N., 231; Kam, Z., 2671
Elias, J. G.
—; Eden, D.: Transient Electric Birefringence Study of the Length and Stiffness of Short DNA Restriction Fragments, 2369
Emura, J. See Kobayashi, Y., 2021
Epstein, I. R. See Dateo, C., 1651
Ernst, C.
—; Grange, J.; Rinnert, H.; Dupont, G.; Lematre, J.: Structure of Amphotericin B Aggregates as Revealed by UV and CD Spectroscopies, 1575
Everett, J. R. See Bell, R. A., 1383

Fedorov, B. A.
On the Determination of Globular Protein Volume in Solution by Small-Angle X-Ray Scattering (Communication), 621

Felix, A. See Benedetti, E., 283
Fermandjian, S. See Toma, F., 901
—; Piriou, F.; Sakarellos, C.; Lintner, K.; Khosla, M. C.; Smeby, R. R.; Bumpus, F. M.: Conformation and Activity in Angiotensin II Peptides, 1971
Fisher, H. F. See Colen, A. H., 879
Fisk, C. L. See Govil, G., 573
Ford, N. C., Jr. See Wang, C.-C., 155
Forlani, L. See Marini, M. A., 2243, 2253
Fournier, M. J. See Wang, C.-C., 155
Frazier, J. See Howard, F. B., 1089
Fredrickson, R. A. See Sridhara, S., 1435
Freund, I. See Roth, S., 1271
Frisch, H. L. See Brian, A. A., 1305
Fujii, N. See Yajima, H., 1859
Fulmer, A. W.
—; Benbasat, J. A.; Bloomfield, V. A.: Ionic Strength Effects on Macroion Diffusion and Excess Light-Scattering Intensities of Short DNA Rods, 1147

Garbisa, S. See Terbojevich, M., 2213
Garcia Bernal, J. M.
—; Garcia de la Torre, J.: Transport Properties of Oligomeric Subunit Structures, 129
Garcia de la Torre, J. See Garcia Bernal, J. M., 129
Garnier, A.
—; Tosi, L.; Mosoni, L.; Toniolo, C.; Bonora, G. M.; Paniago, E. B.: Cu(II)–Protamine Interaction. I. The Formation and Structure of Cu(II)–Clupeine Z Complexes, 951
Garson, J. C. See Leveque, J. L., 2649
Gemeiner, M. See Moroder, L., 17
Giacometti, G. See Kopple, K. D., 1291
Gibbs, J. H. See Molinari, R. J., 977
Go, N. See Abe, H., 1013
—; Abe, H.: Noninteracting Local-Structure Model of Folding and Unfolding Transition in Globular Proteins. I. Formulation, 991
Goehring, W. See Moroder, L., 17
Goodman, M. See Benedetti, E., 283
—; Saltman, R. P.: NMR Studies on Linear Homo-Oligopeptides: A Perspective View, 1929
Gosline, J. M. See Aaron, B. B., 1247
Gotoh, O.
—; Tagashira, Y.: Locations of Frequently Opening Regions on Natural DNAs and Their Relation to Functional Loci, 1043
—; Tagashira, Y.: Stabilities of Nearest-Neighbor Doublets in Double-Helical DNA Determined by Fitting Calculated Melting Profiles to Observed Profiles, 1033
Gotte, L. See Terbojevich, M., 2213
Govil, G.
—; Fisk, C. L.; Howard, F. B.; Miles, H. T.: Spectroscopic Studies on the Structure of Poly(8-bromoadenylic acid): Effect of Glycosidic Torsion Angle on the Conformation and Flexibility in Polyribonucleotides, 573
Govyrin, V. A. See Poltev, V. I., 1
Grange, J. See Ernst, C., 1575
Grathwohl, C.
—; Wuthrich, K.: NMR Studies of the Rates of Proline *Cis–Trans* Isomerization in Oligopeptides, 2623
Gray, D. M.
—; Liu, J-J.; Ratliff, R. L.; Allen, F. S.: Sequence Dependence of the Circular Dichroism of Synthetic Double-Stranded RNAs, 1337
Greve, J. See Vasmel, H., 1329
Grutter, M. See Schellman, J. A., 1989

Haasnoot, C. A. G.
—; De Leeuw, F. A. A. M.; De Leeuw, H. P. M.; Altona, C.: Relationship Between Proton–Proton NMR Coupling Constants and Substituent Electronegativities. III. Conformational Analysis of Proline Rings in Solution Using a Generalized Karplus Equation, 1211
Hader, P. See Bell, R. A., 1383
Hagerman, P. J.
Investigation of the Flexibility of DNA Using Transient Electric Birefringence, 1503
—; Zimm, B. H.: Monte Carlo Approach to the Analysis of the Rotational Diffusion of Wormlike Chains, 1481
Hall, L. D.
—; Yalpani, M.; Yalpani, N.: Ultrastructure of Chitosan and Some Gel-Forming, Branched-Chain Chitosan Derivatives, 1413
Halvorson, H. R.
Comment on "Fluctuations of Protein Structure" (Communication), 241
Hamada, F. See Ishimuro, Y., 2499
Hamana, K. See Mita, K., 1103
Handa, T.
—; Yajima, H.: Conformation of Amylose–Iodine–Iodide Complex in Aqueous Solution, 2051
Harrington, R. E.
Structural Conformations of Nucleosomes at Low Ionic Strength from Flow Birefringence and Intrinsic Viscosity, 719
Hartman, R. F.
—; Brown, G. L.; Rose, S. D.: Methacrylate Polymerization by AzoRNA: Potential Usefulness for Chromosomal Localization of Genes, 2635
Hashimoto, Y.
—; Imanishi, Y.: Contribution from the Chirality of the Growing Chain to the Enantiomer Selectivity in Activated-NCA Polymerization of α-Amino Acid *N*-Carboxyanhydride, 507
—; Imanishi, Y.: Enantiomer Selection in the Addition Reaction of Optically Active 3-Methyl-5-Substituted Hydantoins to N-[(S)-α-methylbenzyl]glycine N-Carboxyanhydride: Model Reaction for the Stereoselective Polymerization of α-Amino Acid N-Carboxyanhydride, 489

Hawkes, R. See Schellman, J. A., 1989
Hawkins, E. R. See Santiago, G., 2181
Hayashi, H.
—; Wada, A.: High-Resolution Study of the Helix–Coil Transition of Poly(L-Glutamic Acid): Spectroscopic Data Correlation and the Discovery of a New Transition, 695
Hermans, J. See Knoll, D. A., 1747
Herr, J. C. See Allison, S. A., 469
Higashijima, T. See Miyazawa, T., 1949
Higuchi, N. See Kyogoku, Y., 1959
—; Kyogoku, Y.; Yajima, H.: Conformational Studies of the Pentapeptides with Weak Adrenocorticotropin (ACTH) Activities by Means of Nuclear Magnetic Resonance Spectroscopy, 2203
Hill, T. L. See Tsuchiya, T., 1399
Hofmann, V. See Wiltzius, P., 2035
Holtzer, A. See Crimmins, D. L., 925
Howard, F. B. See Govil, G., 573
—; Roy, K. B.; Frazier, J.; Miles, H. T.: Does Perchlorate Ion Change A·U Combining Ratios? 1089
Hruska, F. E. See Niemczura, W. P., 1671
Huang, W-T. See Niu, C-I., 1833
Huey, R.
—; Mohr, S. C.: Condensed States of Nucleic Acids. III. (+) and (−) Conformational Transitions of DNA Induced by Ethanol and Salt, 2533
Hughes, D. W. See Bell, R. A., 1383

Ichimura, S. See Mita, K., 1103
Ikeda, N. See Sano, T., 187
Ikeda, S. See Imae, T., 2553
—; Yoshida, T.; Imae, T.: Induced Circular Dichroism and Mode of Binding of Acridine Orange Adsorbed on β-Form Poly(S-carboxyethyl-L-cysteine) in Aqueous Solutions, 2395
Imae, T. See Ikeda, S., 2395
—; Okahashi, K.; Ikeda, S.: Structure of Micelles Formed by Monodisperse Hexa-(γ-benzyl-L-glutamate) in Solution, 2553
Imanishi, Y. See Hashimoto, Y., 489, 507; Sisido, M., 653, 665
Inagaki, H. See Kadokura, S., 1113
Inouye, K.
—; Watanabe, K.; Tochino, Y.; Kobayashi, M.; Shigeta, Y.: Semisynthesis and Properties of Some Insulin Analogs, 1845
Ishibashi, J. See Sano, T., 187
Ishimuro, Y.
—; Yamaguchi, S.; Hamada, F.; Nakajima, A.: Conformation Study of Poly(γ-methyl-L-glutamate) in Helicogenic Solvents by Small-Angle X-Ray Scattering, 2499
Izumiya, N.
—; Kato, T.; Waki, M.: Synthesis of Biologically Active Cyclic Peptides, 1785

Jackle, H. See Walde, F., 373
—; Luisi, P. L.: XII. Conformational Studies of Histidine-Containing Peptides in Solution, 65
Jacrot, B.
—; Zaccai, G.: Determination of Molecular Weight by Neutron Scattering, 2413
Jaeger, E. See Moroder, L., 17; Peggion, E., 633; Wunsch, E., 1741
James, T. L. See Bolton, P. H., 435
Jiang, Y-Q. See Niu, C-I., 1833
Johnson, W. C., Jr. See Zehfus, M. H., 1589
Jones, R. L.
—; Wilson, W. D.: Effect of Ionic Strength on the pK_a of Ligands Bound to DNA, 141

Kadokura, S.
—; Miyamoto, T.; Inagaki, H.: Gel Filtration Studies of Methylene Blue–Heparin Interactions in Aqueous Solution, 1113
Kakiuchi, K.
—; Akutsu, H.: Hydrodynamic Behavior and Molecular Conformation of Poly(L-Lysine HBr) in Carbonate Buffer Solution, 345
Kam, Z. See Borochov, N., 231
—; Borochov, N.; Eisenberg, H.: Dependence of Laser Light Scattering of DNA on NaCl Concentration, 2671
Kanazawa, Y. See Sisido, M., 653
Kanehisa, M. I.
Kinetics of Activation and Desensitization in Receptor Proteins, 787
Kanzig, W. See Wiltzius, P., 2035
Karplus, M. See Pear, M. R., 629
Kasatkin, S. B. See Semisotnov, G. V., 2287
Katakai, R.
—; Nakayama, Y.: Synthesis and Conformational Characterization in the Solid State of Peptides Consisting of L-Phenylalanyl-L-Phenylalanylglycyl and L-Phenylalanyl-L-Leucylglycyl Residues, 2073
Kato, T. See Izumiya, N., 1785
Kawai, M. See Sato, K., 1921
Kawano, K. See Kyogoku, Y., 1959
Kearns, D. R. See Lerner, D. B., 803
Keiderling, T. A. See Singh, R. D., 237
Kemp, D. S.
The Amine Capture Strategy for Peptide Bond Formation—An Outline of Progress, 1793
Khanarian, G.
—; Mack, P.; Moore, W. J.: Optical Anisotropies of Amides and Peptides in Dioxane, 1191
Khosla, M. C. See Fermandjian, S., 1971
Kimura, T.
—; Takai, M.; Masui, Y.; Morikawa, T.; Sakakibara, S.: Strategy for the Synthesis of Large Peptides: An Application to the Total Synthesis of Human Parathyroid Hormone [hPTH(1–84)], 1823

Kisfaludy, L. See Toma, F., 901
Klein, B. K.
—; Anderson, C. F.; Record, M. T., Jr.: Comparison of Poisson-Boltzmann and Condensation Model Expressions for the Colligative Properties of Cylindrical Polyions, 2263
Knof, S. See Peggion, E., 633
Knoll, D. A.
—; Hermans, J.: Effect of Poly(ethylene glycol) on Protein Denaturation and Model Compound pK_a's (Communication), 1747
Kobayashi, M. See Inouye, K., 1845
Kobayashi, Y.
—; Kyogoku, Y.; Emura, J.; Sakakibara, S.: Application of the Two-Dimensional NMR Techniques on a Des(Ala,Gly)-Somatostatin Analog, 2021
Kohli, M. See Mei, W. N., 833
—; Mei, W. N.; Prohofsky, E. W.; Van Zandt, L. L.: Calculated Microwave absorption of Double-Helical B-Conformation Poly(dG)-Poly(dC), 853
Kollman, P. A.
—; Weiner, P. K.; Dearing, A.: Studies of Nucleotide Conformations and Interactions. The Relative Stabilities of Double-Helical B-DNA Sequence Isomers, 2583
Kopple, K. D.
On the Location of β-Turns, 1913
—; Sarkar, S. K.; Giacometti, G.: Solvent and Side-Chain Contributions to the Two-*cis* → All-*trans* Equilibria of Cyclic Hexapeptides, *cyclo*(*Xxx*-Pro-D-*Yyy*)$_2$, 1291
Kostetsky, P. V. See Pletnev, V. Z., 679
Koyama, Y. See Kubota, K., 2701
Kriwaczek, V. M. See Schwyzer, R., 2011
Kubota, I. See Shiba, T., 1985
Kubota, K.
—; Kuroda, S.; Koyama, Y.: Resonance Inverse Raman Spectra of β-Carotene and Carotenoid in Photosynthetic Bacteria, 2701
Kuroda, S. See Kubota, K., 2701
Kusumoto, S.
—; Matsukura, M.; Shiba, T.: A New Method for the Determination of Optical Purity of Synthetic Peptides, 1869
Kuzin, A. P. See Pletnev, V. Z., 679
Kuznetsov, I. A.
—; Apolonnik, N. V.: The Equivalent Conductivity of Aqueous Salt-Free Solutions of DNA: Influence of Univalent Counterions, 2083
Kyogoku, Y. See Higuchi, N., 2203; Kobayashi, Y., 2021
—; Higuchi, N.; Watanabe, M.; Kawano, K.: Conformer Equilibria of Triostin A and its Conformer-Specific Interaction with Nucleic Acid Bases, 1959
Labhardt, A. M.
An Equilibrium Folding Intermediate Detected in the Thermal Unfolding Transition of Ribonuclease S by Circular Dichroism, 1459
Lasky, J. See Madison, V., 707
Lazurkin, Yu. S. See Yurgaitis, A. P., 967
Lee, D. M.
—; Blackwell, J.: Structure of Cellulose II Hydrate, 2165
Lematre, J. See Ernst, C., 1575
Lerman, L. S. See Brian, A. A., 1305
Lerner, D. B.
—; Kearns, D. R.: Proton and Phosphorus NMR Investigation of the Conformational States of Acid Polyadenylic Double Helix, 803
Leveque, J. L.
—; Garson, J. C.; Pissis, P.; Boudouris, G.: Free Water in Hair Keratin? A Depolarization Thermal-Current Study, 2649
Levy, R. M. See Pear, M. R., 629
Lin, S. C.
—; Thomas, J. C.; Allison, S. A.; Schurr, J. M.: Dynamic Light-Scattering Studies of Internal Motions in DNA. III. Evidence for Titratable Joints Associated with Bound Polycations, 209
Lindorfer, M. See Schellman, J. A., 1989
Lintner, K. See Fermandjian, S., 1971
Liu, J-J. See Gray, D. M., 1337
Loewen, P. C. See Niemczura, W. P., 1671
Low, M. See Toma, F., 901
Luisi, P. L. See Jackle, H., 65; Walde, F., 373

Ma, A-Q. See Niu, C-I., 1833
Mack, P. See Khanarian, G., 1191
Madison, V.
—; Lasky, J.; Currie, B.: Stability and Geometry of Hydrogen-Bonded Complexes of Peptides, 707
Maeda, H.
—; Ooi, K.: Isodichroic Point and the β–Random Coil Transition of Poly(*S*-carboxymethyl-L-cysteine) and Poly(*S*-carboxyethyl-L-cysteine) in the Absence of Added Salt, 1549
Manning, G. S.
A Procedure for Extracting Persistence Lengths from Light-Scattering Data on Intermediate Molecular Weight DNA (Communication), 1751
Theoretical Evidence for the Coupling of Winding to Compression in the Solution Conformation of Duplex DNA, 2337
The Possibility of Intrinsic Local Curvature in DNA Toroids, 1261
Maret, G. See Torbet, J., 2657

Marini, M. A.
—; Martin, C. J.; Berger, R. L.; Forlani, L.: Analysis of the Ionization Constants and Heats of Ionization of Reduced and Oxidized Horse Heart Cytochrome *c*, 2253
—; Martin, C. J.; Forlani, L.: Analysis of the Potentiometric Titration of Reduced Horse Heart Cytochrome *c*, 2243
Maroun, R. C. See Santiago, G., 2181
Marraud, M. See Boussard, G., 169
Martin, C. J. See Marini, M. A., 2243, 2253
Martin, F. H. See Nelson, J. W., 2509
Masui, Y. See Kimura, T., 1823
Mathiez, P.
—; Mouttet, C.; Weisbuch, G.: Quasielastic Light-Scattering Study of Polyadenylic Acid Solutions. II, 2381
Matsukura, M. See Kusumoto, S., 1869
Mattice, W. L. See Santiago, G., 2181
—; Robinson, R. M.: Conformational Properties of Central Nervous System Myelin Basic Protein, β-Endorphin, and β-Lipotropin in Water and in the Presence of Anionic Lipids, 1421
McCammon, J. A. See Pear, M. R., 629
Medary, R. T. See Colen, A. H., 879
Mei, W. N. See Kohli, M., 853
—; Kohli, M.; Prohofsky, E. W.; Van Zandt, L. L.: Acoustic Modes and Nonbonded Interactions of the Double Helix, 833
Meienhofer, J.
Why Peptide Synthesis Continues to Remain a Formidable Challenge, 1761
Merlini, M. See Van Steenwinkel, R., 915
Miles, H. T. See Govil, G., 573; Howard, F. B., 1089
Milova, L. A. See Poltev, V. I., 1
Mingot, F.
Quantitative Test of Record's Theory for Proton-Induced Lowering of DNA Melting Temperature, 2121
Minton, A. P.
Excluded Volume as a Determinant of Macromolecular Structure and Reactivity, 2093
Mirau, P. A. See Bolton, P. H., 435
Mita, K.
—; Ichimura, S.; Zama, M.; Hamana, K.: Kinetics of Chemical Modification of Arginine and Lysine Residues in Calf Thymus Histone H1, 1103
Miyamoto, T. See Kadokura, S., 1113
Miyazawa, T.
—; Higashijima, T.: NMR Analyses of Conformations of Linear Peptides in Solution, 1949
Mohr, S. C. See Huey, R., 2533
Molinari, R. J.
—; Cole, R. H.; Gibbs, J. H.: Molecular-Weight Dependence of the Low-Frequency Dielectric Properties of Aqueous Solutions of Gel-Fractionated DNA, 977
Moore, W. J. See Khanarian, G., 1191
Morikawa, T. See Kimura, T., 1823
Morishima, I. See Sano, T., 187
Moroder, L. See Peggion, E., 633; Wunsch, E., 1741
—; Gemeiner, M.; Goehring, W.; Jaeger, E.; Thamm, P.; Wunsch, E.: New Synthesis of Somatostatin According to the *S-tert*-Butylthiocysteine Procedure, 17
Morosetti, S. See De Santis, P., 1707, 1727
Morozov, V. N.
—; Morozova, T. Ya.: Viscoelastic Properties of Protein Crystals: Triclinic Crystals of Hen Egg White Lysozyme in Different Conditions, 451
Morozova, T. Ya. See Morozov, V. N., 451
Mosher, L. See Painter, P. C., 243
Mosoni, L. See Garnier, A., 951
Mouttet, C. See Mathiez, P., 2381

Nagai, U. See Sato, K., 1921
Nair, C. M. K. See Venkatachalapathi, Y. V., 1123
Nakajima, A. See Ishimuro, Y., 2499
Nakajima, K. See Okawa, K., 1811
Nakamura, H.
—; Wada, A.: Dielectric Studies of Aqueous Solutions of Poly(L-glutamic acid), 2567
Nakayama, M. See Segawa, S-I., 1691
Nakayama, Y. See Katakai, R., 2073
Neilson, T. See Bell, R. A., 1383
Nelson, J. W.
—; Martin, F. H.; Tinoco, I., Jr.: DNA and RNA Oligomer Thermodynamics: The Effect of Mismatched Bases on Double-Helix Stability, 2509
Neumann, J. M.
—; Tran-Dinh, S.: Conformation and Dynamic Structure of Poly(Inosinic Acid) in Neutral Aqueous Solution by ^{1}H-, ^{2}H-, ^{13}C-, and ^{31}P-NMR Spectroscopy, 89
Niemczura, W. P.
—; Hruska, F. E.; Sadana, K. L.; Loewen, P. C.: Proton Magnetic Resonance Study of Nucleosides, Nucleotides, and Dideoxynucleoside Monophosphates Containing a *Syn* Pyrimidine Base, 1671
Niu, C-I.
—; Yang, S-Z.; Ma, A-Q.; Chen, Y-N.; Jiang, Y-Q.; Huang, W-T.: Solid-Phase Synthesis of Larger Peptides by a New Strategy of Detachment from the Resin, 1833
Northrup, S. H. See Pear, M. R., 629

O'Connor, T.
—; Scovell, W. M.: pH-Dependent Raman Spectra and Thermal Melting Profiles for Polycytidylic Acid, 2351
Ogawa, S. See Sano, T., 187

Okahashi, K. See Imae, T., 2553
Okawa, K.
—; Nakajima, K.: Studies on 2-Aziridinecarboxylic Acid Peptides: Their Reaction and Uses, 1811
Ondetti, M. A.
The Future of Peptide Chemistry (Communication), 2033
—; Cushman, D. W.: Design of Protease Inhibitors, 2001
Ooi, K. See Maeda, H., 1549

Painter, P. C.
—; Mosher, L.; Rhoads, C.: Low-Frequency Modes in the Raman Spectrum of DNA (Communication), 243
Palleschi, A. See De Santis, P., 1707, 1727
Palumbo, M. See Terbojevich, M., 2213; Wunsch, E., 1741
Paniago, E. B. See Garnier, A., 951
Pavone, V. See Benedetti, E., 283, 1635
Pear, M. R.
—; Northrup, S. H.; McCammon, J. A.; Karplus, M.; Levy, R. M.: Correlated Helix–Coil Transitions in Polypeptides (Communication), 629
Pedone, C. See Benedetti, E., 283, 1635
Peggion, E. See Terbojevich, M., 2213; Wunsch, E., 1741
—; Jaeger, E.; Knof, S.; Moroder, L.; Wunsch, E.: Conformational Aspects of Gastrin-Related Peptides: A Circular Dichroism Study, 633
Piriou, F. See Fermandjian, S., 1971
Pissis, P. See Leveque, J. L., 2649
Pivcova, H. See Saudek, V., 1615
—; Saudek, V.; Drobnik, J.; Vlasak, J.: NMR Study of Poly(aspartic acid). I. α- and β-Peptide Bonds in Poly(aspartic acid) Prepared by Thermal Polycondensation, 1605
Pletnev, V. Z.
—; Kuzin, A. P.; Trakhanov, S. D.; Kostetsky, P. V.; Popovich, V. A.; Tsigannik, I. N.: Three-Dimensional Structure of Actinoxanthin. III. A 4-Å Resolution, 679
Poltev, V. I.
—; Milova, L. A.; Zhorov, B. S.; Govyrin, V. A.: Simulation of Conformational Possibilities of DNA via Calculation of Nonbonded Interactions of Complementary Dinucleoside Phosphate Complexes, 1
Popovich, V. A. See Pletnev, V. Z., 679
Prohofsky, E. W. See Kohli, M., 853; Mei, W. N., 833
Ptitsyn, O. B. See Semisotnov, G. V., 2287

Rao, V. S. R. See Vasudevan, T. K., 865
Rasmussen, K. See Tosi, C., 1059
Ratliff, R. L. See Gray, D. M., 1337
Record, M. T., Jr. See Klein, B. K., 2263
Rhoads, C. See Painter, P. C., 243
Rinnert, H. See Ernst, C., 1575
Rizzo, V.
—; Schellman, J.: Flow Dichroism of T7 DNA as a Function of Salt Concentration, 2143
Robinson, R. M. See Mattice, W. L., 1421
Romaniuk, P. J. See Bell, R. A., 1383
Rose, S. D. See Hartman, R. F., 2635
Roszkowski, M. See Sauk, J. J., 2695
Roth, S.
—; Freund, I.: Optical Second-Harmonic Scattering in Rat-Tail Tendon, 1271
Roy, K. B. See Howard, F. B., 1089

Sadana, K. L. See Niemczura, W. P., 1671
Sakakibara, S. See Kimura, T., 1823; Kobayashi, Y., 2021
Sakane, M. See Segawa, S-I., 1691
Sakarellos, C. See Fermandjian, S., 1971
Saltman, R. P. See Goodman, M., 1929
San Biagio, P. L. See Cordone, L., 39, 53
Sano, T.
—; Ishibashi, J.; Ikeda, N.; Yasunaga, T.; Ogawa, S.; Morishima, I.: Kinetic Studies of Spin Interconversion in Ferric Mixed-Spin Derivatives of Myoglobin, 187
Santiago, G.
—; Maroun, R. C.; Hawkins, E. R.; Mattice, W. L.: Electrostatic Interactions in Ionic Homopolypeptides in Solutions of Moderate Ionic Strength, 2181
Sarkar, S. K. See Kopple, K. D., 1291
Sato, K.
—; Kawai, M.; Nagai, U.: β-Turn Preference of Tetrapeptide Sequences as Analyzed by CD Spectra of Their Dnp-pNA Derivatives, 1921
Saudek, V. See Pivcova, H., 1605
Use of Potentiometric Titration for Determination of α- and ω-Peptide Bonds in Poly(aspartic acid) and Poly(glutamic acid), 1625
—; Pivcova, H.; Drobnik, J.: NMR Study of Poly(aspartic acid). II. α- and β-Peptide Bonds in Poly(aspartic acid) Prepared by Common Methods, 1615
Sauk, J. J.
—; Roszkowski, M.: Thermal Stability of Acid-Soluble Basement Membrane Collagen Aggregates (Communication), 2695
Savino, M. See De Santis, P., 1707, 1727
Schellman, J. See Rizzo, V., 2143
Schellman, J. A.
—; Lindorfer, M.; Hawkes, R.; Grutter, M.: Mutations and Protein Stability, 1989
Scheraga, H. A. See Sridhara, S., 1435
Influence of Interatomic Interactions on the Structure and Stability of Polypeptides and Proteins, 1877

Schonert, H.
—; Stroth, L.: Thermodynamic Interaction Between urea and the Peptide Group in Aqueous Solutions at 25°C, 817
Schreiber, L. See Sturm, J., 765
Schurr, J. M. See Allison, S. A., 469; Lin, S. C., 209; Shibata, J. H., 525
—; Allison, S. A.: Polyelectrolyte Contribution to the Persistence Length of DNA, 251
Schwyzer, R.
—; Kriwaczek, V. M.: Tobacco Mosaic Virus as a Carrier for Small Molecules: Artificial Receptor Antibodies and Superhormones, 2011
Scovell, W. M. See O'Connor, T., 2351
Segawa, S-I.
—; Nakayama, M.; Sakane, M.: Rates of Structural Fluctuations of Lysozyme in the Range of Thermal Unfolding Transition, 1691
Semisotnov, G. V.
—; Zikherman, K. Kh.; Kasatkin, S. B.; Ptitsyn, O. B.; Anufrieva, E. V.: Polarized Luminescence and Mobility of Tryptophan Residues in Polypeptide Chains, 2287
Shafer, R. H. See Bolton, P. H., 435
Shiba, T. See Kusumoto, S., 1869
—; Uratani, H.; Kubota, I.; Sumi, Y.: Some Aspects of the Relationship Between the Structure of a Bitter Diketopiperazine and its Receptor, 1985
Shibata, J. H.
—; Schurr, J. M.: A Theory of Aggregation in the Thermal Denaturation Region of Multistrand Biopolymers, 525
Shigeta, Y. See Inouye, K., 1845
Silver, F. H.
—; Trelstad, R. L.: Physical Properties of Type I Collagen in Solution: Structure of α-Chains and β- and γ-Components and Two-Component Mixtures, 359
Singh, R. D.
—; Keiderling, T. A.: Vibrational Circular Dichroism of Poly(γ-Benzyl-L-Glutamate) (Communication), 237
Sisido, M.
—; Kanazawa, Y.; Imanishi, Y.: Intrachain End-to-End Charge Transfer Interaction in Oligosarcosines, 653
—; Imanishi, Y.: Monte Carlo Simulation on the Intrachain End-to-End Charge-Transfer Interaction on Oligosarcosines, 665
Smeby, R. R. See Fermandjian, S., 1971
Sridhara, S.
—; Ananthanarayanan, V. S.; Fredrickson, R. A.; Zweifel, B. O.; Taylor, G. T.; Scheraga, H. A.: Helix–Coil Stability Constants for Amino Acids in Nonaqueous Solvents. Studies of Random Poly(γ-benzyl-L-glutamate-co-L-alanine) and Poly(γ-benzyl-L-glutamate-co-L-leucine) in a Mixed Solvent, 1435
Stellwagen, N. C.
Electric Birefringence of Restriction Enzyme Fragments of DNA: Optical Factor and Electric Polarizability as a Function of Molecular Weight, 399
Stevens, E. S. See Stipanovic, A. J., 1183, 1565
Stipanovic, A. J.
—; Stevens, E. S.: Vacuum-Ultraviolet Circular Dichroism of Acetylated Glucans, 1183
—; Stevens, E. S.: Vacuum-Ultraviolet Circular Dichroism of Chondroitins and Their Complexes with Poly(L-Arginine), 1565
Stivala, S. S.
—; Zweig, J. E.: Physicochemical Parameters of Partially Hydrolyzed *S. salivarius* Levan Fractions, 605
Straub, P. W. See Wiltzius, P., 2035
Stroth, L. See Schonert, H., 817
Sturm, J.
Binding of Ligands to a One-Dimensional Heterogeneous Lattice. I. General Model for the calculation of Binding Isotherms by a Monte Carlo Approach, 753
—; Schreiber, L.; Daune, M.: Binding of Ligands to a One-Dimensional Heterogeneous Lattice. II. Intercalation of Tilorone with DNA and Polynucleotides, 765
Subirana, J. A.
—; Vives, J. L.: The Precipitation of DNA by Spermine (Communication), 2281
Sumi, Y. See Shiba, T., 1985

Tagashira, Y. See Gotoh, O., 1033, 1043
Takai, M. See Kimura, T., 1823
Taylor, G. T. See Sridhara, S., 1435
Terbojevich, M.
—; Palumbo, M.; Cosani, A.; Peggion, E.; Gotte, L.; Garbisa, S.: Interaction of Calcium Ions with α-Elastin: An Equilibrium Dialysis, Circular Dichroism, and Microcalorimetric Study, 2213
Thamm, P. See Moroder, L., 17
Thomas, J. C. See Lin, S. C., 209
Tinoco, I., Jr. See Nelson, J. W., 2509
Tochino, Y. See Inouye, K., 1845
Toma, F.
—; Fermandjian, S.; Low, M.; Kisfaludy, L.: ^{13}C-NMR Studies of ACTH: Assignment of Resonances and Conformational Features, 901
Toniolo, C. See Benedetti, E., 1635; Garnier, A., 951
Torbet, J.
—; Maret, G.: High-Field Magnetic Birefringence Study of the Structure of Rodlike Phages Pf1 and fd in Solution, 2657

Tosi, C.
—; Rasmussen, K.: Conformational Studies on Polynucleotide Chains. V. A Comparison between the Quantum-Mechanical and the Consistent Force Field Approach, 1059
Tosi, L. See Garnier, A., 951
Trakhanov, S. D. See Pletnev, V. Z., 679
Tran-Dinh, S. See Neumann, J. M., 89
Trelstad, R. L. See Silver, F. H., 359
Tsigannik, I. N. See Pletnev, V. Z., 679
Tsuchiya, T.
—; Hill, T. L.: *n*-Mer Binding on a One-Dimensional Lattice of Two-State *m*-Site Cells: Heavy Meromyosin on Regulated Actin as an Example, 1399

Ueyama, N.
—; Araki, T.: Structure in Solution of Biscyclo(dipeptide) Restricted by CSSC *Gauche* Effect, 2485
Uratani, H. See Shiba, T., 1985

Van Steenwinkel, R.
—; Campagnari, F.; Merlini, M.: Interaction of Mn^{2+} with DNA as Studied by Proton-Relaxation Enhancement of Solvent Water, 915
Van Zandt, L. L. See Kohli, M., 853; Mei, W. N., 833
Vasilescu, D. See Cabrol, D., 269
Vasmel, H.
—; Greve, J.: CD Spectra of "Alternating B-" and "Z"-DNA (Communication), 1329
Vasudevan, T. K.
—; Rao, V. S. R.: Theoretical Studies on β-Lactam Antibiotics. IV. Conformational Analysis of Novel β-Lactam Antibiotics and the Binding Specificities of Crosslinking Enzyme(s) and β-Lactamases, 865
Venkatachalapathi, Y. V.
—; Balaram, P.: Temperature Dependence of Peptide NH Chemical Shifts in Benzene: Delineation of Solvent-Shielded and Exposed Amide Protons (Communication), 625
—; Nair, C. M. K.; Vijayan, M.; Balaram, P.: *X*-Pro Peptides: Solution and Solid-State Conformation of Benzyloxycarbonyl-(Aib-Pro)$_2$-methyl Ester, a Type I β-Turn, 1123
—; Balaram, P.: *X*-Pro Peptides: Synthesis and Solution Conformation of Benzyloxycarbonyl-(Aib-Pro)$_4$-Methyl Ester. Evidence for a Novel Helical Structure, 1137
Vijayan, M. See Venkatachalapathi, Y. V., 1123
Vitrano, E. See Cordone, L., 39, 53
Vives, J. L. See Subirana, J. A., 2281
Vlasak, J. See Pivcova, H., 1605

Wada, A. See Hayashi, H., 695; Nakamura, H., 2567
Waki, M. See Izumiya, N., 1785
Walde, F.
—; Jackle, H.; Luisi, P. L.; Dempsey, C. J.; Banks, B. E. C.: Spectroscopic Investigations of Peptide 401 from Bee Venom, 373
Wang, C.-C.
—; Ford, N. C., Jr.; Fournier, M. J.: Laser Light-Scattering Analysis of the Dimerization of Transfer Ribonucleic Acids with Complementary Anticodons, 155
Wang, F. W.
—; Zimm, B. H.: Novel Cell for Light Scattering from Solutions (Communication), 1333
Watanabe, K. See Inouye, K., 1845
Watanabe, M. See Kyogoku, Y., 1959
Wegener, W. A.
Diffusion Coefficients for Rigid Macromolecules with Irregular Shapes That Allow Rotational-Translational Coupling, 303
Weiner, P. K. See Kollman, P. A., 2583
Weisbuch, G. See Mathiez, P., 2381
Wetmur, J. G. See Wieder, R., 1537
Wieder, R.
—; Wetmur, J. G.: One Hundred-Fold Acceleration of DNA Renaturation Rates in Solution, 1537
Wilson, W. D. See Jones, R. L., 141
Wiltzius, P.
—; Kanzig, W.; Hofmann, V.; Straub, P. W.: Early Stages of Fibrinogen to Fibrin Conversion Studied by Static and Dynamic Light Scattering, 2035
Winter, W. T.
—; Adelsky, I.: Pneumococcal Polysaccharide Conformations (Communication), 2691
Woodbury, C. P., Jr.
Free-Sliding Ligands: An Alternative Model of DNA–Protein Interactions, 2225
Wunsch, E. See Moroder, L., 17; Peggion, E., 633
—; Jaeger, E.; Moroder, L.; Peggion, E.; Palumbo, M.: Somatostatin-28: A Conformational Analysis (Communication), 1741
Wuthrich, K. See Grathwohl, C., 2623

Yajima, H. See Handa, T., 2051; Higuchi, N., 2203
—; Fujii, N.: Totally Synthetic Crystalline Ribonuclease A, 1859
Yalpani, M. See Hall, L. D., 1413

Yalpani, N. See Hall, L. D., 1413
Yamagishi, A.
Evidence for the Binding States of Copper(II)–Serum Albumin Complexes as Revealed by Transient Electric Dichroism Measurements, 201
Yamaguchi, S. See Ishimuro, Y., 2499
Yang, S-Z. See Niu, C-I., 1833
Yasunaga, T. See Sano, T., 187
Yen, W. S.
—; Blake, R. D.: Analysis of High-Resolution Thermal Dispersion Profiles of DNA: Treatment as a Collection of Discrete Subtransitions, 1161
Yoshida, T. See Ikeda, S., 2395
Young, G. T.
Protection During Peptide Synthesis: Some New Directions, 1805
Yurgaitis, A. P.
—; Lazurkin, Yu. S.: Mechanism of DNA Denaturation in the Presence of Manganese Ions, 967

Zaccai, G. See Jacrot, B., 2413
Zama, M. See Mita, K., 1103
Zehfus, M. H.
—; Johnson, W. C., Jr.: Properties of P-Form DNA as Revealed by Circular Dichroism, 1589
Zhorov, B. S. See Poltev, V. I., 1
Zikherman, K. Kh. See Semisotnov, G. V., 2287
Zimm, B. H. See Hagerman, P. J., 1481; Wang, F. W., 1333
Zweifel, B. O. See Sridhara, S., 1435
Zweig, J. E. See Stivala, S. S., 605

Subject Index to Volume 20

Communications to the Editor and Errata are denoted by the letters C and E, respectively, following the page number.

Absence of interactions between local structures, assumption of, 991
Absorbance studies, of poly(Glu), 695
Absorption studies, of amphotericin B aggregates, 1575
Acetylated glucans, CD studies of, 1183
3-[ω-Acetylglycyl-poly(α-amino acid)acyl]-α-amino acid NCA, in activated-NCA-type polymerization, 507
Acoustic modes, of the DNA double helix, 833
Acridine orange, complexes with poly(S-carboxyethyl-L-cysteine), 2395
ACTH, See adrenocorticotropic hormone
ACTH activity, conformational correlation, 2203
Actinoxanthin, 3-dimensional structure of, 679
Activated α-amino acid NCA, enantiomer-selective addition to prepolymer of, 507
Activated-NCA-type polymerization, enantiomer selection in, 489, 507
Activation, of receptor proteins, 787
Acyl transfer,intramolecular, efficiency of, 1793
Adenosine and guanosine, selective binding to triostin A, 1959
Adrenocorticotropic hormone, ^{13}C-nmr studies of, 901
Adrenocorticotropin, antagonist of, 2011
—, conjugates with tobacco mosic virus, 2011
Adsorption studies, of methylene blue–heparin complex, 1113
Affinity chromatography, of lipids, 1985
—, purification of ribonuclease A by, 1859
Aggregation, of basement membrane collagen, 2695(C)
—, of denatured DNA in the presence of Mn^{2+}, 967
—, of DNA and RNA oligomers, 2509
—, of multistrand biopolymers in their denaturation region, 525
—, of tRNA, 155
Akabori, Shiro, 1759
L-Alanine, helix–coil stability constant for, in a mixed solvent, 1435
Alanines,N-protected, conformation and modes of association of, 1635
Alcohols, effects on functional properties of hemoglobin, 2137
Alcohols,monohydric, effects on hemoglobin T→R transition, 39, 53
β-Alkoxy amino acid derivatives, synthesis of, 1811
"Alternating-B" DNA conformation, of poly[d(A-T)]-poly[d(A-T)], 1329(C)
Amides, dipole moment of, 1191
—, effects on functional properties of hemoglobin, 2137
—, effects on hemoglobin T→R transition, 39
—, optical anisotropies of, 1191
Amine capture, strategy for peptide bond formation, 1793
Amino acids, helix–coil stability constants for, in a mixed solvent, 1435
D-Amino acid substituted peptides, conformations of, 2203
α-Aminosuccinimide containing peptide, HPLC detection of, 1823
Aminosuccinimide formation of aspartic acid residue, 1859
Ammonolysis, for detachment from resin of C-peptide and glutamine and threonine containing peptides, 1833
Amphotericin B aggregates,structure of, CD spectroscopy of, 1575
—, UV spectroscopy of, 1575
Am-toxin III, synthesis of, 1785
Amylose–iodine–iodide complex, CD of, 2051
—, molar ellipticity of, 2051
—, resonance polarized light scattering of, 2051
—, viscosity of, 2051
Angiotensin-converting enzyme, 2001
Angiotensin I, 2001
Angiotensin II, CD, nmr studies of, 1971
—, conjugates with tobacco mosaic virus, 2011
—, structure–activity relationships of, 1971
Anionic lipids, ordering effect on proteins, 1421
Anisotropies,optical, of amides,in dioxane, 1191
—, of peptides,in dioxane, 1191
Antibiotic, β-lactam, 865
—, structure of actinoxanthin, 679
—, valinomycin, 891

Anticodons,complementary, of tRNA, 155
Apamin, spectroscopic studies of, 373
Arg, modification of,in histone H1, 1103
β-Asp-peptide, detection by HPLC, 1823
Association of N-protected alanine, modes of, 1635
A·U combining ratios, noneffect of ClO_4^- on, 1089
Azide method, in peptide synthesis, 1785
—, racemization accompanying, 1785
—, in ribonuclease A synthesis, 1761
Aziridine carboxylic acid containing peptides, synthesis of, 1811
Azo nucleotides, methacrylate polymerization by, 2635

Bacterial cell wall biosynthesis, binding specificities in, 865
Base pair, frequency of opening, 1043
Base pair stacking, stabilities of, 1033
Ba^{2+}–valinomycin complex, CD studies of, 891
B-DNA,double helix, solvation of, 551
B-DNA structures, conformational analysis of, 1727
Bee venom, spectroscopic studies of peptide 401, 373
Bent rod, diffusion coefficients of, 303
Benzene, ^1H-nmr solvent for peptides, 625(C)
γ-Benzyl-L-glutamate, light scattering properties of aqueous solutions of, 2553
—, micelles formed by, 2553
—, relative viscosity of aqueous solutions of, 2553
Beta bends, properties of, 1877
Beta–coil transition, of poly[Cys(CH_2CO_2H)], 1549
—, of poly[Cys$(CH_2)_2CO_2H$], 1549
Beta turns, in cyclic peptides, 1901
Binding isotherms, calculation of,by the Monte Carlo method, 753
Binding of ligands to a one-dimensional heterogeneous lattice, 765
Binding of ligands to one-dimensional heteropolymers, 753
Binding of metal ions, to DNA, 915
Binding of Mn^{2+} ions to denatured DNA, 967
Binding specificities, in bacterial cell wall biosynthesis, 865
—, of crosslinking enzyme(s) and β-lactamases, 865
Binding states, of Cu(II)–BSA, 201
Bi-product analogs, 2001
Biscyclo(dipeptide), conformation of, 2485
—, preparation of, 2485
Bitterness of cyclo(Leu-Trp), nondependency on chirality, 1985
Bitter substances, interaction with lecithin liposomes, 1985
Blout, Elkan R. Bovine serum albumen. See BSA, 2033(C)
Brownian dynamics simulations, 629(C)
BSA, electric dichroism studies of, 201
S-tert-Butylthiocysteine, as reversible thiol protection, 17
—, use in somatostatin synthesis, 17

Carbon-13 nmr, of pentapeptides with ACTH activity, 2203
β-Carotene, inverse Raman spectroscopy of, 2701
CD,induced, of acridine orange–polypeptide complexes, 2395
CD induced changes, in peptides, 707
CD spectra,theoretical, of poly(L-Pro) I and II, 2311
CD studies, of acetylated glucans, 1183
—, of "alternating B-" and "Z"-DNA, 1329(C)
—, of amphotericin B aggregates, 1575
—, of amylose–iodine–iodide complexes, 2051
—, of angiotensin II, 1971
—, of basement-membrane collagen, 2695(C)
—, of calf thymus histone H1, 1103
—, of chondroitin–Arg complexes, 1565
—, of DNA in methanol/ethanol solvents, 1589
—, of Dnp-tetrapeptidyl-pNA showing β-turn preferences, 1921
—, of α-elastin–calcium interactions, 2213
—, fragment association monitored by, for RNAase S, 1459
—, of gastrin-related peptides, 633
—, of His-containing peptides, 65
—, of insulin analogs, 1845
—, of natural RNAs, 1337
—, of peptide 401 from bee venom, 373
—, of P-form DNA, 1589
—, of poly(8 Br A), 573
—, of poly(Glu), 695
—, of poly(L-Glu), 2567
—, of somatostatin-28, 1741(C)
—, of synthetic RNAs, 1337
—, of valinomycin–Ba^{2+} complex, 891
CD studies,theoretical, of poly(L-Ala) helices, 387
—, of poly(Gly) helices, 387
Cell for light scattering from solutions, 1333(C)
Cellulose II,hydrate, x-ray structure of, 2165
Cell wall,bacterial, biosynthesis of, 865
Charge-transfer interaction, on oligosarcosines, 653, 665
Chelation,Mn^{2+}, between phosphate and N7 of a deoxyguanyl unit of DNA, 915
Chemical modification, of Arg and Lys residues of calf thymus histone H1, 1103
Chemical shifts, peptide NH in benzene, 625(C)
Chemical structure of side-chain and microarchitecture,correlation between, of 1-deoxy-glycit-1-yl chitosan derivates, 1413

Chitosan derivatives, containing carbohydrate side-chains, ultrastructure of, 1413
Cholera toxin, binding to membrane receptor, 2323
Chondroitins, CD studies of, 1565
—, complexes with poly(Arg), 1565
Chromatin core particles, structure of, 327
Clam–worm hybrid paramyosins, 925
Classical potential functions, use for calculation of dinucleoside phosphates, 1
Clupeine Z–Cu(II) complexes, formation and structure of, 951
—, at various molar ratios, 951
^{13}C-nmr studies, of ACTH, 901
—, of poly(Asp), 1605, 1615
—, of poly(8 Br A), 573
—, of poly(I), 89
—, of poly(succinimide), 1605
—, of Z-(Aib-Pro)$_4$-OMe, 1137
Coiled coils, inter-chain interaction of, 925
Col E_1 plasmid DNA, dependence of sedimentation, diffusion, radius of gyration, 2671
—, and virial coefficients on NaCl concentration, 2671
Collagen, conformational studies of, 1877
—, denaturation of, 525
—, fibrillogenesis, 2195
—, second harmonic generation in rat-tail tendon, 1271
Collagen aggregates, CD of, 2695(C)
—, hydrophobic interactions in, 2695(C)
—, thermal stability studies of, 2695(C)
Collagen fibrils, diameter distribution in rat-tail tendon, 1271
Collagen-like conformation, of poly(Gly-Phe-Pro) and poly(Gly-Pro-Phe), 269
Collagen,Type I, physical properties of,in solution, 359
Complex formation, of valinomycin and Ba^{2+}, 891
Conformation, of bitter diketopiperazine, 1985
—, of DNA, 231(C)
—, of duplex DNA in solution, 2337
—, of enkephalin, 1949
—, of α-mating factor, 1949
—, of Phe, Gly, Leu oligomers, 2073
—, sequence dependence of, 1921
—, of tetrapeptides, sequence of dependence of, 1921
Conformational analysis, of amylose–iodine–iodide complex, CD of, 2051
—, of complementary dinucleoside phosphates, 1
—, of homo-oligopeptides by nmr, 1929
Conformational changes, in DNA and RNA oligomers, 2509
—, multistate kinetics in nucleosomes, 111
—, temperature dependence of, 2509
Conformational energy calculations, of collagen, 1877
—, of complementary dinucleoside phosphates, 1
—, of enzyme–substrate complexes, 1877
—, of Gramicidin S, 1877
—, of peptide and protein structure, 1877
—, of poly(Gly-Phe-Pro) and poly(Gly-Pro-Phe), 269
Conformational isomers, of linear peptides, 2203
Conformational studies, of angiotensin II, 1971
—, of calf thymus histone H1, 1103
—, of cyclic hexapeptides, 1291
—, of cyclic peptides, 1901
—, of L-3,4-dehydroproline and its t-Boc and acetyl amide derivatives, 283
—, of double-stranded DNA structures, 1727
—, of β-endorphin, 1421
—, of FPro, Hyp, and Pro, 1211
—, of gastrin-related peptides, 633
—, of His-containing peptides, 65
—, of β-lactam antibiotics, 865
—, of β-lipotropin, 1421
—, of myelin basic protein, 1421
—, of N-protected alanines, 1635
—, of pentapeptides with ACTH activity, 2203
—, of peptides, 283
—, of poly(Lys-HBr) in Na_2CO_3 solution, 345
—, on polynucleotide chains, 1059
—, of pyrrolidine ring in model peptides, 1211
—, of somatostatin-28, 1741(C)
—, of Type I collagen, 359
—, of viral ϕ29 DNA–triamine complexes, 469
—, of Z-(Aib-Pro)$_2$-OMe, 1123
—, of Z-(Aib-Pro)$_4$-OMe, 1137
Conformational transition of DNA, induced by ethanol and salt, 2533
—, induced by solvent, 2427
—, model for, 2427
Conformation calculations, of sequence isomers of DNA, 2583
Conformation equilibria, in cyclic hexapeptides,thermodynamic parameters of, 1291
Conformation of, luteinizing hormone releasing hormone, 1913
Conformation of biscyclo dipeptides, 2485
Conformation of cyclic peptides, 1913
Conformation of oligosarcosines, studied by end-to-end interaction, 653
Conformation of pneumococcal polysaccharides by x-ray diffraction, 2691(C)
Conformation of triostin A, slow interconversion of, 1959
Consistent force field calculations, of the sugar–phosphate–sugar fragment, 1059

Cooperative transition of side-chain conformation, of poly(Glu), 695
Cosolvents, effects on hemoglobin T→R transition, 39, 53
Counterion atmosphere,influence of, on diffusion, rotational, 1503
Counterion concentration, effect on persistence length of DNA, 251
Counterion condensation, model for cylindrical polyions, 2263
Counterion condensation theory, quantitative test of, 2121
C-peptide of human proinsulin, detachment of, from resin support by ammonolysis, 1833
—, by fragment condensation, 1833
—, solid phase synthesis of, 1833
Crosslinking enzymes, binding specificities of, 865
Crystals,triclinic, of hen egg white lysozyme, 451
Cu(II)–BSA, binding states of, 201
Cu(II)–clupeine Z complexes, formation and structure of, 951
—, at various molar ratios, 951
Cu(II)–protamine interaction, 951
Curvature in DNA toroids, 1261
Cyclic dipeptides containing proline, 707
Cyclic hexapeptides, conformational equilibria,by nmr, 1291
Cyclic peptides, conformational mobility in, 1913
—, conformational studies of, 1901
—, conformation of, 1913
—, naturally occurring, 1901
—, related to gramicidin S, 1785
—, synthesis of, 1901
Cyclic pro-peptides, pyrrolidine conformation in, 1211
Cyclization, of pentapeptides related to gramicidin S, 1785
Cysteine, *S*-diphenyl-4-pyridylmethyl, 1805
—, protection of, 1805
Cystine, CSSC *gauche* effect in biscyclo dipeptides of, 2485
Cytochrome *c*, heats of ionization of, 2253
—, heme ionization of, 2253
—, ionization constant of, 2253
—, tyrosine ionization of, 2253
Cytochrome *c*,reduced, electrostatic interaction of, 2243
—, ionization constants of, 2243

Dandliker–Kraut cell, light scattering apparatus, 1333(C)
dApdA:dUpdU, calculation of conformational energy, 1
dApdU, calculation of conformational energy, 1
Dehydroamino acid derivatives, synthesis of, 1811
L-3,4-dehydroproline, *t*-Boc and acetyl derivatives of, 283
—, crystal and molecular structures of, 283
Denaturation,protein, effect of poly(ethylene glycol) on, 1747(C)
Denaturation reaction, of mutant proteins, 1989
Denaturation region, aggregation of multistrand biopolymers in, 525
Deoxyribonucleates, of alkali metals, 2083
—, counterion binding by, 2083
—, equivalent conductivity of, 2083
—, preparation of, 2083
Depolarization thermal current (DTC) studies, of water–keratin system, 2649
—, of water, 2649
Depsipeptides, role of ester π orbitals in, 169
—, synthesis of, 1811
Desensitization, of receptor proteins, 787
Deuterium incorporation, at specific residues to assign peptide resonances, 1929
Dextran sulfate, effect on DNA renaturation rates, 1537
—, precipitation by CsCl, 1537
Diamagnetic anisotropy, of Pf1 and fd phages, 2657
Diaminopropionic acid derivatives, synthesis of, 1811
Dideoxynucleoside monophosphates, containing a *syn* pyrimide base, 1671
Dielectric relaxation, of poly(L-Glu), 2567
Dielectric studies, of DNA, 977
Diffusion coefficient, of a bent rod, 303
Diffusion coefficients, of α-chains and β- and γ-components of Type I collagen, 359
—, of complex particles, 303
—, of tRNA dimers, 155
Diffusion-collision mechanism, 991
Diffusion of macroions, 1147
Diffusion,rotational, counterion atmosphere, influence on, 1503
—, of wormlike chains, 1481
—, of wormlike polyion, 1503
Dimerization, of tRNA, 155
Dinucleoside phosphate complexes, calculation of nonbonded interactions of, 1
DNA, acoustic modes and nonbonded interactions of, 833
—, base mismatch in, 2509
—, base-pair opening profiles of, 1043
—, buckling of, 1261
—, calculated conformations for sequence isomers, 2583
—, calculated microwave absorption of, 853
—, calculation of melting profiles of, 1033
—, comparison of frequently opening regions and functional loci, 1043
—, condensed states of, 2533
—, conformation of, 231(C)
—, denaturation of, 525

—, dielectric studies of, 977
—, double-stranded structures of, 1707, 1727
—, dynamic light scattering studies of, 209
—, effect of ionic strength on pK_a of ligands bound to, 141
—, elastic instability of, 1261
—, electrical birefringence of, 399
—, ethanol/salt-induced conformational transitions of, 2533
—, excluded volume effects, 1751(C)
—, excluded volume of, 231(C)
—, in fibers, 2369
—, flexibility of, 2143, 2369
—, flexibility of, persistence length of, 1503
—, flexibility of, restriction fragments, physical studies of, 1503
—, flow dichroism of, 2143
—, helix stability as compared to RNA, 2509
—, high-resolution thermal dispersion profiles, 1161
—, interaction with fluoroquine, 435
—, intrinsic curvature of, 1261
—, ionic strength effects on structure of, 2337
—, light-scattering studies of, 1147
—, melting of, 2121
—, neutron-scattering studies of, 327
—, persistence length, dependence on NaCl concentration, 2671
—, persistence length, detected by laser light scattering, 2671
—, persistence length of, 251, 1751(C)
—, plasmid Col E. 231(C)
—, polyelectrolyte effects on structure of, 2337
—, polyelectrolyte properties of, 1261
—, precipitation by spermine, 2281(C)
—, radius of gyration of, 1751(C)
—, Raman studies of, 243(C)
—, relative stability of sequence isomers of, 2583
—, restriction enzyme fragments of, 399
—, rotational diffusion measurement of, 2369
—, simulation of conformational possibilities of, 1
—, stabilities of nearest-neighbor doublets, 1033
—, stability predictions for, 2509
—, structure in solution of, 2369
—, tertiary/quaternary structure, 2533
—, triamine condensation, 469
—, twisting of, 2337
—, two-state substransitions in thermal dispersion of, 1161
—, winding of, 2337
DNA as a heterogeneous lattice, 765
DNA binding, with metal ions, 915
DNA dynamics of internal motion, derived from quasielastic laser light scattering, 2671
DNA from mononucleosomes, light-scattering studies of, 1147
DNA,P-form, CD studies of, 1589
—, conformation of, in methanol/ethanol solvents, 1589
DNA–protein interactions, theoretical models for, 2225
DNA,renaturation, acceleration rates of, 1537
—, chloride salts, effects on acceleration of, 1537
—, dextran sulfate, effect on, 1537
—, volume exclusion, effects on, 1537
DNAs,synthetic, melting temperatures of, 1337
DNA toroids, 1261
Double helical DNA, calculated microwave absorption of, 853
—, nonbonded force constants of, 833
Double helical polynucleotides, with base-stacking, 1707
Double helices, minimum set of conformational parameters in the representation of, 1707
Dynamic light scattering studies, of DNA, 209
Dynamic structure, of poly(I), 89

Elastin, as a model for random proteins, 1247
—, non-Gaussian elastic properties of, 1247
—, stress-birefringence of, 1247
α-Elastin,interaction of, with calcium, 2213
Electric birefringence, of DNA, 1503
—, rates of decay, 1503
Electric birefringence,transient, of DNA restriction fragment, 399
—, to measure rotational diffusion constant, 2369
Electric dichroism studies, of bovine serum albumin–Cu(II) chelate, 201
Electron microscopic studies, of viral ϕ29 DNA–spermidine complexes, 469
Electron microscopy, of vesicle–tobacco mosaic virus complexes, 2011
Electrostatic effects, influence on DNA conformation, 2671
Electrostatic interaction, in hemoglobin, 39, 53
—, in poly(L-glutamic acid), 2181
Electrostatics, of DNA, 1305
Enantiomer selection, in activated-NCA-type polymerization, 489, 507
End group effects, on oligopeptide conformations, 1929
β-Endorphin, conformational properties of, 1421
Enkephalin, conformation of, 1949
—, conjugate with tobacco mosaic virus, 2011
—, ^{1}H-nmr studies of, 1949
—, ir studies of, 1949
Enzymes,reactivity of, excluded volume effects on, 2093
Enzyme–substrate complexes, conformational energy calculations of, 1877

—, structures of, 201
Cis–trans equilibria, of cyclic hexapeptides, 1291
Equilibrium dialysis studies, of α-elastin–calcium interactions, 2213
Equilibrium sedimentation studies, of DNA packing, 1305
Equilibrium ultracentrifugation, of RNA oligomer double helices, 2509
Equivalent conductivity, of deoxyribonucleates, 2083
Excluded volume, effects on structure and reactivity of, 2093
Excluded volume effect, in the analysis of DNA conformation, 2671
—, in protein folding, 1013

Fibrils,of collagen, aldehyde crosslinking of, 2195
—, cyanogen bromide digest of, 2195
—, *in vitro* formation of, 2195
Fibrin, formation from fibrinogen, 2035
Fibrinogen, conversion to fibrin, 2035
Fibrinopeptide A, cleavage from fibrinogen of, 2035
Flexibility, of DNA, 2143
Flow birefringence, study of nucleosome structure by, 719
Flow dichroism, of DNA, 2143
Fluctuations, of protein structure, 241(C)
Fluorescence, use in measuring kinetics of nucleosome conformational changes, 111
Fluorescence studies, of fluoroquine binding to nucleic acids, 435
Fluoroproline, ^{1}H-nmr conformational analysis of, 1211
Fluoroquine, binding to nucleic acids, 435
—, synthesis of, 435
^{19}F-nmr studies, of fluoroquine binding to nucleic acids, 435
Folding intermediate of RNAase S, detection of, 1459
Fortisan, x-ray structure of, 2165
Fragments of RNAase S, characterization of the folding pathway by the use of, 1459
Frictional coefficients, of a bent rod, 303
—, of complex particles, 303

Ganglioside G_{M1} receptors, binding of multivalent ligands to, 2323
Gas chromatographic test, for racemization, 1761
Gas chromatography–mass spectrometry, for detection of racemization, 1869
Gastrin-related peptides, conformational studies of, 633
Gel filtration studies, of methylene blue–heparin interactions, 1113
Gene localization, potential tool for, 2635
Globular proteins, Porod's invariant for, 621(C)
Glucans, CD of acetylated, 1183
$[Glu(OBzl)]_n$, ir spectra of, 237(C)
—, VCD studies of, 237(C)
L-Glutamate dehydrogenase, transient phase energetics of, 879
Glutamate homo-oligopeptides, conformational analysis by nmr, 1929
Glycosidic torsion angle, effect on conformation and flexibility in polyribonucleotides, 573
Gramicidin S, conformational studies of, 1901
—, conformation studies of, 1877
Growing chain control, of stereoselective polymerization of NCA, 507
Growth-merge mechanism, 991
Guest-host technique, to assign backbone NH and α-CH resonances, 1929

Heat capacities of activation, in the L-glutamate dehydrogenase system, 879
Heats of ionization of cytochrome *c*, 2253
Heavy meromyosin, binding to F-actin, 1399
α-Helical coiled-coils, inter-helix interaction in, 925
Helical polypeptides, theoretical CD spectra, 387
Helix–coil stability, constants for amino acids, in nonaqueous solvents, 1435
Helix–coil transition, 1877
—, dielectric relaxation, 2567
—, observed by CD, 2567
—, observed by dielectric relaxation, 2567
—, observed by viscosity measurements, 2567
—, in poly(L-Glu), 2567
—, of poly(Glu) induced by pH change, 695
—, in poly(L-glutamic acid), 2181
—, in polypeptides, 629(C)
—, of proteins in water and in lipids, 1421
Heme ionization of oxidized cytochrome *c*, 2253
Hemoglobin, effect of cosolvents on T→R transition of, 53
—, effects of cosolvents on T→R transition of, 39
—, effects of organic cosolvents on the functional properties of, 2137
—, electrostatic interactions in, 39, 53
—, kinetics of displacement of O_2 by CO in, 2137
—, solvent hydrophobic interactions, 39, 53
—, temperature dependence of alcohols on oxygen affinity of, 53
Hemoproteins, kinetic studies of, 187
Heparin–methylene blue complex, gel filtration studies of, 1113
High performance liquid chromatography (HPLC) of h-PTH fragments, 1823
His-containing peptides, spectroscopic and conformational studies of, 65

Histidine, N^{Im}-diphenyl-4-pyridylmethyl, 1805
—, protection of, 1805
Histone core with DNA wrapped around, 327
Histone H1,calf thymus, CD studies of, 1103
—, chemical modification of Arg and Lys residues, 1103
^{1}H-nmr, generalized Karplus equation, 1211
—, ^{1}H-^{1}H coupling constants of pyrrolidine rings, 1211
—, studies of cyclic hexapeptide conformational equilibria, 1291
^{1}H-nmr studies, of acid form of poly(A), 803
—, of DNA binding with metal ions, 915
—, of enkephalin, 1949
—, of His-containing peptides, 65
—, of α-mating factor, 1949
—, of nucleosides, nucleotides, and dideoxynucleoside monophosphates, 1671
—, of oligoribonucleotides, 1383
—, of peptide 401 from bee venom, 373
—, of peptides in benzene, 625(C)
—, of poly(Asp), 1605
—, of poly(8 Br A), 573
—, of poly(I), 89
—, of poly(succinimide), 1605
—, of Z-(Aib-Pro)$_2$-OMe, 1123
—, of Z-(Aib-Pro)$_4$-OMe, 1137
^{2}H-nmr studies, of poly(I), 89
^{13}H-Nmr studies, of Z-(Aib-Pro)$_2$-OMe, 1123
Hormones, adrenocorticotropic, 901
Hormones,gastrin, structure of, 633
HPLC, for monitoring semisynthesis of insulin, 1845
—, purification of peptides and proteins, 1761
Hybrid paramyosins, detection of, 925
—, relative stabilities of, 925
Hydrodynamic behavior of poly(Lys·HBr) in Na_2CO_3 solution, 345
Hydrodynamic properties, of a bent rod, 303
—, of complex particles, 303
—, of subunit structures, 129
Hydrogen bonds, delineation in peptides by ^{1}H-nmr, 625(C)
—, stability and geometry in peptides, 707
Hydrogen exchange, distribution of rate constants in, 241(C)
Hydrophobic hemoglobin–solvent interactions, 39, 53
Hyp, ^{1}H-nmr conformational analysis of, 1211

Induced CD as means of detecting hydrogen-bond geometry, 707
Inhibitors, design of, 2001
—, irreversible enzyme, 2001
—, of proteases, 2001
—, reversible enzyme, 2001
Insulin analogs, biological properties of, 1845
—, CD studies of, 1845
—, semisynthesis of, 1845
Intercalation of tilorone, with DNA and polynucleotides, 765
Intermolecular complexes of peptides with 2-pyridone and 2,6-dichlorobenzoic acid, 707
Intramolecular interaction, on oligosarcosines, 653, 665
Intrinsic viscosity, with flow birefringence to study nucleosome structure, 719
—, of subunit structures, 129
Inverse Raman spectroscopy, of β-carotene, 2701
—, of carotenoids in photosynthetic bacteria, 2701
Ionic strength, effect on ligands bound to DNA, 141
—, effects on diffusion and light scattering, 1147
—, kinetics of conformational changes in nucleosomes induced by, 111
Ionic strength dependence, of persistence length, 1503
Ionization constants, of oxidized and reduced cytochrome *c*, 2253
—, of reduced cytochrome *c*, 2243
Ir studies, of enkephalin, 1949
—, of $[Glu(OBzl)]_n$, 237(C)
—, of the H···π interaction in peptides and depsipeptides, 169
—, of N-protected alanines, 1635
—, of poly(8 Br A), 573
—, of polynucleotides, 1089
—, of *X*-Pro peptides, 1137
Ising chain, 1399
Isodichroic point, of poly[Cys(CH_2CO_2H)], 1549
—, of poly[Cys($(CH_2)_2CO_2H$)], 1549
Cis–trans isomerism, of proline, 901

Keratin, depolarization thermal current (DTC) study, 2649
—, free water in, 2649
—, of water in, 2649
Kerr effect, in optical anisotropies,studies of, 1191
Kinetic analysis, decomposing sums of exponentials, 241(C)
—, by inverse Laplace transform, 241(C)
Kinetics, of nucleosome conformational change, 111
Kinetics of activation and desensitizations, in receptor proteins, 787
Kinetics of binding, of large ligands to nucleic acids, 1651
Kinetic studies, of chemical modification reactions, 1103
—, of spin interconversion in mixed-spin derivatives of myoglobin, 187

β-Lactam antibiotics, conformational analysis of, 865
Laplace transforms of kinetic data, 241(C)
Laser light scattering, of tRNA dimers, 155
Lattice–ligand interactions, alternative model for, 2225
Lattice model of protein, 1013
Lattice,one-dimensional, *n*-mer binding on, 1399
Lattice sites for binding, of large ligands, 1651
Left-handed B-DNA structures, conformational analysis of, 1727
L-Leucine, helix–coil stability constant for, in a mixed solvent, 1435
Levan,*S. salivarius*, physicochemical parameters of, 605
Streptococcus salivaris levan, physicochemical parameters of, 605
Ligand–cell interactions, 2323
Ligands bound to DNA, effect of ionic strength on, 141
Ligands,large, kinetics of binding, 1651
Light scattering, angular dependence of, 2553
—, for fibrin formation study, 2035
—, in study of micellar hexa-(γ-benzyl-L-glutamate), 2553
Light scattering data, interpretation of, 1751(C)
Light scattering from solutions, apparatus for, 1333(C)
Light scattering,quasielastic, in study of polyadenylic acid, 2381
Light-scattering studies, of DNA, 1147
—, of viral φ29 DNA–triamine complexes, 469
Linear heterogeneous polymers, interaction of ligands with, 753
Lipids–protein interactions, 1421
β-Lipotropin, conformational properties of, 1421
Liquid crystals, in DNA packing, 1305
Low-frequency modes, in Raman spectra of DNA, 243(C)
Luteinizing hormone releasing hormone, conformation of, 1913
Lys, modification of,in histone H1, 1103
Lysozyme, structural fluctuations of in thermal unfolding transition, 1691
—, viscoelastic properties of, 451
Lysozyme,T4, structure of, 1989

Macromolecules, excluded volume of, 2093
—, self-association of, 2093
—, simulations of solvent structure for, 551
—, thermodynamic activity of, 2093
Macromolecules with irregular shapes, diffusion coefficients of, 303
—, frictional coefficients of, 303
Magnetic birefringence, of Pf1 and fd phages, 2657
—, potential in structural studies of, 2657
Magnetic orientation, of Pf1 and fd phages, 2657
Mass fragmentography, for detection of racemization, 1869
α-Mating factor, conformation of, 1949
—, ^{1}H-nmr studies of, 1949
Matrix-iteration techniques, for kinetics of binding, 1651
Matrix methods, for study of electrostatic interactions, 2181
Maximum protection method, in solid phase synthesis, 1823
MCD peptide, See peptide
Mean-square end-to-end distance, of random proteins, 1247
Melanotropin,α-, conjugates with tobacco mosaic virus, 2011
Melting curves, of DNA and RNA oligomers, 2509
Melting of DNA, influence of pH and G + C on, 2121
Melting profiles, of polycytidylic acid, 2351
—, φX174 and fd phage DNA fragments, fitting of calculated to observed profiles, 1033
Melting temperatures, calculated for sequence isomers of DNA, 2583
—, of synthetic DNAs, 1337
—, of synthetic RNAs, 1337
Membrane receptors, binding of multivalent ligands to, 2323
n-Mer binding, on a one-dimensional lattice, 1399
Meromyosin,heavy, binding to F-actin, 1399
Methacrylate polymerization, induced by azo nucleotides, 2635
Methanol/ethanol solvent systems, effects on DNA conformation, 1589
Methylene blue–heparin complex, absorption spectra of, 1113
—, binding parameters of, 1113
—, metachromatic effect of, 1113
—, thermodynamic parameters of, 1113
3-Methyl-5-substituted hydantoins, enantiomer-selective addition to NCA of, 489
Mg^{2+}-DNA binding, 915
Micelles, formed by hexa-(γ-benzyl-L-glutamate), 2553
—, size and shape of primary and secondary, 2553
Microcalorimetric studies, of α-elastin–calcium interactions, 2213
Microwave absorption, of poly(dG)-poly(dC), 853
Mn^{2+}-DNA binding, 915, 967
Model compound pK_a's, effect of poly(ethylene glycol) on, 1747(C)
Model for calculation of binding isotherms, 753
Model reaction, for stereoselective polymerization of NCA, 489

Molecular motions, of fluoroquine bound to nucleic acids, 435
Molecular ordering transition, in DNA, 1305
Molecular weight, determined by neutron scattering, 2413
Molecular-weight dependence, of low-frequency dielectric properties of gel-fractionated DNA, 977
Monomer–polymer helices, 1089
Mononucleosomal DNA, ionic strength effects on diffusion and light-scattering of, 1147
Monte Carlo analysis, of rotational diffusion of wormlike chains, 1481
Monte Carlo calculation, on oligosarcosines, 665
Monte Carlo simulation of protein folding, 1013
Multiple-minimum problem, in conformation-energy calculations of polypeptides and proteins, 1877
Multiplet-closure approximation, for kinetics of binding, 1651
Multivalent ligands, stoichiometric cell binding character of, 2323
Myelin basic protein, conformational properties of, 1421
Myoglobin, kinetic studies of spin interconversion in ferric mixed-spin derivatives of, 187

Narrow melting range of DNA, interpreted as an indication of a true phase transition, 967
Nearest-neighbor,substitute, shielding effects of nucleotides, 1383
Neutron scattering, for molecular weight determination, 2413
Neutron-scattering studies, of chromatin core particles, 327
Nitroxyl free radicals, nmr line broadening by, 1913
Nmr, of pentapeptides with ACTH activity, 2203
Nmr spectroscopy, location of β-turns by, 1913
—, of somatostatin analog, 2021
—, two-dimensional J-resolved, 2021
—, two-dimensional spin-echo correlated, 2021
Nmr studies, of angiotensin II, 1971
—, conformation of bitter diketopiperazine in, 1985
—, of cyclic peptides, 1901
—, of effect of end groups in oligopeptides, 1929
—, of polyoxyethylene-bound peptides, 1929
—, of proline *cis–trans* isomerization, 2623
—, of triostin A, 1959
NOE (-^{31}P, -^{13}C) studies, of poly(I), 89
Nonbonded interactions, of the DNA double helix, 833
Nonlinear optics, second harmonic generation in rat-tail tendon, 1271
Nucleic acid binding to large ligands, 1651
Nucleic acids, Raman spectra of, 2351
—, simulation of structure of, 2427
—, in solution, 2427
—, thermal melting profiles of, 2351
Nucleoside monophosphates, containing a *syn* pyrimidine base, 1671
Nucleosome core particles, structure of, 327
Nucleosomes, conformational transitions in low salt solutions, 719
—, extinction angles of, 719
—, flow birefringence of, 719
—, intrinsic birefringence of, 719
—, kinetics of conformational changes in, 111
—, optical modelling of, 719
—, rotational diffusion coefficients of, 719
—, structures and conformations in solution, 719
Nucleotide monophosphates, containing a *syn* pyrimidine base, 1671

O-Acylated peptide, formation of, 1823
Oligomeric subunit structures, intrinsic viscosities of, 129
—, rotational diffusion coefficients of, 129
—, translational friction and diffusion coefficients of, 129
Oligopeptide syntheses,by the *N*-hydroxy succinimide active ester method, 2073
Oligoribonucleotides, ^{1}H-nmr spectra of, 1383
Oligosarcosines, conformational calculation of, 665
—, having terminal chromophores, 653
O-phosphopeptide derivatives, synthesis of, 1811
Optical absorption studies, of fluoroquine binding to nucleic acids, 435
Optical anisotropy, studies of amides and peptides in dioxane, 1191
Optical anisotropy,decay of, persistence length of, 1481
Optical purity, new method for determination of, 1869
—, of synthetic peptides, 1869
Optical second-harmonic scattering, 1271
π Orbitals, in peptides and depsipeptides, 169

Paramyosins, inter-helix interaction in, 925
Parathyroid hormone, total synthesis of, 1823
Partial binding parameters, 753
Paths of folding and unfolding transition, 991, 1013
Penultimate-unit control, of stereoselective polymerization of NCA, 489
Peptide 401, of bee venom,spectroscopic studies of, 373
Peptide antibiotics, nmr studies of, 1959

Peptide bond, formation of, 1793
—, *cis–trans* isomerism at *X*-Pro, 1291
—, by thiol capture strategy, 1793
Peptide bond formation, by amine capture, 1793
—, catalyzed by trypsin, 1845
—, effect of organic solvents on, 1845
α-Peptide bonds of poly(Asp), 1605, 1615
—, determination of by potentiometric titration, 1625
β-Peptide bonds of poly(Asp), 1605, 1615
ω-Peptide bonds,of poly(Asp), determination of by potentiometric titration, 1625
Peptide oligomers, ir and x-ray studies of, 2073
—, synthesis of, 2073
Peptides, crystal and molecular structures of, 283
—, dipole moment of, 1191
—, optical anisotropies of, 1191
—, optical purity of, 1869
—, role of amide π orbitals in, 169
—, studies of, 2033(C)
—, study of intramolecular hydrogen bonds, 625(C)
Peptide solvation, in conformational equilibria of cyclic hexapeptides, 1291
Peptide synthesis, of large molecules, 1761
—, protecting groups in, 1761
—, protection during, 1805
—, racemization in, 1761
—, by symmetrical anhydrides, 1761
Perchlorate ion, effect on polynucleotides, 1089
Persistence length, ionic strength dependence of, 1503
Persistence length of DNA, 2143
—, dependence on NaCl concentration, 231(C)
—, effect of counterion concentration on, 251
—, polyelectrolyte contribution to, 251
Phages Pf1 and fd structure, magnetic birefringence, study of, 2657
Phage T7 DNA, 2143
Phenacyl ester, of Boc-peptide, 1823
pH titration studies, of poly(Glu), 695
Physicochemical parameters, of partially hydrolyzed *S. salivarius* levan fractions, 605
Plasmid Col E. DNA, effect of NaCl concentration on, 231(C)
Pneumococcal polysaccharide, conformation of, 2691(C)
^{31}P-nmr studies, of acid form of poly(A), 803
—, of poly(I), 89
Poisson-Boltzmann, model for cylinderical polyions, 2263
Polarity, of rat-tail tendon, 1271
Polarized luminescence, of tryptophan residues, 2287
Poly(A), interaction with fluoroquine, 435
Polyadenylic acid, quasielastic light scattering study of, 2381
—, semidilute solutions of, 2381
—, ultracentrifugation of, 2381
Poly(A),double helix, ^{1}H- and ^{31}P-nmr studies, 803
Poly(L-Ala), theoretical CD spectra of helical form, 387
Polyanion with two types of carboxyls of different acidity, 1625
Poly(Arg), complexes with chondroitins, 1565
Poly(Asp), nmr studies of, 1605, 1615
—, potentiometric titration of, 1625
Poly[β-Asp(OBzl)], debenzylation of, 1615
Poly(8 Br A), spectroscopic studies of, 573
Polycations, effects on internal motions of DNA, 209
Poly[Cys(CH_2CO_2H)], CD, titration, viscosity, beta–coil transtion of, 1549
Poly[Cys($(CH_2)_2CO_2H$)], CD, titration, viscosity, beta–coil transition of, 1549
Polycytidylic acid, pH-dependent Raman spectra of, 2351
—, thermal meeting profiles of, 2351
Poly(dG)·poly(dC), microwave absorption of, 853
Polyelectrolyte contribution, to persistence length of DNA, 251
Polyelectrolyte effects, in nucleosomes, 719
Polyelectrolytes, 2181
—, dielectric behavior, 977
—, scattering and diffusion, 1147
Poly(ethylene glycol), the effect on model compound pK_a's, 1747(C)
—, the effect on protein denaturation, 1747(C)
Poly(Glu), helix–coil transition of, 695
—, potentiometric titration of, 1625
Poly(L-Glu), CD spectra of, 2567
—, dielectric relaxation, viscosity, and CD spectra studies, 2567
—, viscosity of, 2567
Poly[Glu(OBzl)], co-L-alanine, random, in a mixed solvent, 1435
—, co-L-leucine, random, in a mixed solvent, 1435
Poly(L-glutamic acid), electrostatic interactions in, 2181
Poly(Gly), theoretical CD spectra of helical form, 387
Poly(Gly-Phe-Pro) and poly(Gly-Pro-Phe), PCILO conformational study, 269
Poly(I), dynamic structure and conformation, 89
Polyions,cylindrical, model expressions for, 2263
Poly(Lys), conformation of, 345
—, hydrodynamic behavior of, 345
Polymer dimensions, effect of salts on, 2143
Poly(γ-methyl-L-glutamate), conformation studies by small x-ray scattering, 2499

Polynucleotide chains, conformational studies of, 1059
Polynucleotide conformation, 1329(C)
Polynucleotide phosphorylase, use in synthesis of azoRNA, 2635
Polynucleotides, nmr studies of poly(I), 89
—, quasielastic light scattering study of, 2381
—, semidilute solutions of, 2381
—, stoichiometry of interaction, 1089
—, ultracentrifugation of, 2381
Polyoxyethylene-bound oligopeptides, conformational analysis by nmr, 1929
Polypeptides, correlated helix–coil transitions in, 629(C)
Polypeptides and proteins, influence of conformational energy calculations of, 1877
—, influence of interatomic interactions on stability and on structure, 1877
Poly(L-Pro), and CD spectra, 2311
—, theoretical uv absorption, 2311
Polyribonucleotides, on conformation and flexibility of, 573
—, effect of glycosidic torsion angle, 573
Polysaccharides, CD studies of, 1183
—, conformation of pneumococcal, 2691(C)
Poly(S-carboxyethyl-L-cysteine), acridine orange complexes with, 2395
—, CD of, 2395
—, β-conformation in aqueous solutions of, 2395
Poly(succinimide), nmr studies of, 1605, 1615
Porod's invarient, for globular proteins, 621(C)
Potential energy calculation, of complementary dinucleoside phosphates, 1
Potentiometric studies, of Cu(II)–clupeine Z complexes, 951
Potentiometric titration, of poly(Asp), 1625
—, of poly(Glu), 1625
Predictions of secondary structure, 679
Preferred conformations, of oligopeptides in solution, 1929
Pro, ^{1}H-nmr conformational analysis of, 1211
Proline-containing cyclic dipeptides, 707
Proline *cis–trans* isomerism, 901
Proline octapeptides, conformational studies of, 1137
Proline peptide bond, nmr studies of, 2623
—, rate of *cis–trans* isomerization of, 2623
Proline tetrapeptides, conformational studies of, 1123
X-Pro peptides, conformational studies of, 1123, 1137
Protamine–Cu(II) interaction, 951
Protease inhibitors, design of, 2001
Protecting groups, for cysteine side chain, 1805
—, for histidine side chain, 1805
Protein crystals, viscoelastic properties, 451
Protein denaturation, effect of poly(ethylene glycol) on, 1747(C)
Protein dynamics, theory of, 629(C)
Protein folding, proline-containing peptides as models for, 2623
Proteins, mutants of, 1989
—, stability of, 1989
Proteins,globular, model of folding and unfolding of, 991, 1013
Protein structure, fluctuations of, 241(C)
—, x-ray analysis of antibiotic actinoxanthin, 679
Protein volume, small-angle x-ray scattering for determination of, 621(C)
Protonation of bases in DNA, 2121
Proton-relaxation enhancement, of solvent water, 915
Pseudorotation parameters, of pyrrolidine ring in Pro, Hyp, and model peptides in solution, 1211
Purification of peptides, by HPLC, 1761
Purine-pyrimidine alternating sequences, specificity of binding to, 765
Syn pyrimidine base, of nucleosides, nucleotides and dideoxynucleoside monophosphates, 1671
Pyrimidine base,*syn* form, of nucleoside, nucleotides and dideoxynucleoside monophosphates, 1671

Quantum-mechanical study, of model molecules in relation to collagen structure, 269
Quinoxaline antibiotic, proton magnetic resonance spectra of, 1959

Racemization, in fragment condensations, 1823
—, gas chromatographic test for, 1761
—, in peptide synthesis, 1761
—, in peptide synthesis under high dilution conditions, 1785
Racemization,detection of, by gas chromatography–mass spectrometry, 1869
—, by mass fragmentography, 1869
Raman spectrum, of polycytidylic acid, 2351
Raman studies, of DNA, 243(C)
Random network theory, as applied to elastin, 1247
Random proteins, dimensions determined from network properties of elastin, 1247
Rat-tail tendon, collagen fibril diameter distribution in, 1271
—, polarity of, 1271
—, second harmonic generation in, 1271
Reception proteins, kinetics of activation and desensitization in, 787
Receptor, agonist interactions with, 2001

Receptor model, for bitter diketopiperazine, 1985
Receptors for peptides, isolation and mapping of, 2011
Regulated actin (tropomyosin saturated F-actin), 1399
Residual analysis, of potentiometric titration curves, 2243
Restriction enzyme fragments, of DNA, 399
Restriction frgaments of phage DNA, calculated melting profiles of, 1033
Ribonuclease A,synthesis of, by azide method, 1761
Ribonuclease S, CD studies of, 1459
—, thermal denaturation of, 1459
Right- and left-handed structures, in polynucleotides, 1707
RNA, base mismatch in, 2509
—, containing azo nucleotides, 2635
—, helix stability as compared to DNA, 2509
—, stability predictions for, 2509
RNase A, purification of by affinity chromatography, 1859
—, synthesis of crystalline, 1859
—, total synthesis of, 1859
RNAs,natural and synthetic, CD spectra of, 1337
RNAs,synthetic, melting temperatures of, 1337
Rotational diffusion, of subunit structures, 129
Rotational diffusion measurements, of DNA, 2369

Salt, effect on polyelectrolytes of, 2263
Salt concentration, effect on persistence length of DNA, 231(C)
Salts,chloride, acceleration of DNA renaturation in, 1537
—, use in precipitation of dextran sulfate, 1537
S-benzyltriostin A, proton magnetic resonance spectrum of, 1959
Scaled particle theory, comparison with experimental data, 1305
Scanning electron microscopy studies, of chitosan, 1413
—, of gel-forming, branched-chain 1-deoxy-glycit-1-yl chitosan derivatives, 1413
Secondary structure, predictions of, 679
Second harmonic, scattering in rat-tail tendon, 1271
Sequence-dependence, of DNA melting temperatures, 1337
—, of RNA CD spectra, 1337
—, of RNA melting temperatures, 1337
Sequence polypeptide oligomers, 2073
Shielding effects, of substitute nucleotides, 1383
Side chain interactions in polypeptides, 2287
Simulation of solvent structure, for macromolecules, 551
Simultaneous measurement, of CD,absorbance,light scattering intensity and pH titration curve of poly(Glu), 695
Small-angle x-ray scattering, for determination of protein volume, 621(C)
N-[(S)-α-methylbenzyl]glycine *N*-carboxyanhydride, enantiomer-selective addition of hydantoin to, 489
Solid phase peptide synthesis, polar supports for, 1761
Solid phase synthesis, of C-peptide of human proinsulin, 1833
Solution phase transition, in DNA, 1305
Solvation, of B-DNA double helix, 551
Solvent effects, on oligopeptide conformations, 1929
Solvent isotope shift (^{19}F-nmr), of fluoroquine in water vs heavy water, 435
Solvents, effects on helix–coil stability of amino acids, 1435
Solvent structure, simulation of, 2427
Somatostatin, new synthesis of, 17
Somatostatin-28, conformational analysis of, 1741(C)
Somatostatin analog, des(Ala,Gly)-somatostatin, 2021
—, nmr spectroscopy of, 2021
—, two-dimensional nmr of, 2021
Spectrophotometric determination, of methylene blue concentration, 1113
Spectroscopic studies, of apamin, 373
—, of a bee venom component, 373
—, of Cu(II)–clupeine Z complexes, 951
—, of poly(8 Br A), 573
—, of poly(Glu), 695
Spermidine, effects on internal motions of DNA, 209
Spermine, DNA precipitation by, 2281(C)
Spin interconversion, in hemoproteins, 187
Spin-lattice relaxation times (T_1), of pentapeptides with ACTH activity, 2203
Statistical mechanical model, of protein folding, 991, 1013
Statistical mechanics, of macromolecular ligand binding in one dimension, 2225
Stereoselective polymerization of NCA, in activated-NCA-type mechanism, 507
—, model reaction for, 489
Stereoselective transacylation, induced by aziridine carboxylic acid containing peptides, 1811
Stopped-flow studies, of the energetics of the L-glutamate dehydrogenase reaction, 879
Structural dynamics, inferred from hydrogen exchange, 241(C)
Structural fluctuations,rates of, of lysozyme, 1691

Substransitions,two-state, of thermal dispersion of DNA, 1161
Subunit,structures, hydrodynamic properties of, 129
Symmetrical anhydrides, of Fmoc-amino acids, 1761
Synthesis,large scale, of cysteine-containing peptides, 17
—, of somatostatin, 17

Telopeptides,collagen, effect on fibrillogenesis, 2195
—, proteolysis of, 2195
Temperature dependence, of alcohol effects on oxygen affinity of hemoglobin, 53
Temperature sensitivity, of mutant proteins, 1989
Tetrapeptides, Dnp-pNA derivatives of, 1921
—, β-turn preference of, 1921
Thermal dispersion studies, of DNA, 1161
Thermal polycondensation of poly(Asp), 1605
Thermal stability studies, of basement membrane collagen aggregates, 2695(C)
Thermodynamics, of DNA packing, 1305
—, of urea–peptide interaction, 817
Thiol capture, for amide formation, 1793
Tilorone, interaction with DNA and polynucleotides, 765
Tobacco mosaic virus,conjugates with, adrenocorticotropin, 2011
—, angiotensin II, 2011
—, enkephalin, 2011
—, α-melanotropin, 2011
Toroids,DNA, buckling of, 1261
—, intrinsic curvature of, 1261
—, molecular basics, 1261
Torsion angles, of pyrrolidine ring in Pro, Hyp, and model peptides in solution, 1211
Transition state analogs, 2001
Translational diffusion, of subunit structures, 129
Trifluoromethanesulfonic acid-thioanisole, deprotection by, 1859
—, glutathione-mediated air oxidation, 1859
Triostin A, conformer equilibria of, 1959
—, interaction with nucleic acid bases by, 1959
—, interconversion of conformations of, 1959
—, proton magnetic resonance spectra of, 1959
tRNA, interaction with fluoroquine, 435
tRNA dimers, light scattering of, 155
Trypsin, peptide-bond formation catalyzed by, 1845
—, in semisynthesis of insulins, 1845
Tryptophan residues, mobility of, in polypeptide chains, 2287
—, polarized luminescence of, 2287
β-turn, H···π interaction in, 169
β-turn preference, as analyzed by CD, 1921
—, of tetrapeptides, 1921
β-turns, in cyclic peptides, 1913
—, in luteinizing hormone releasing hormone, 1913
β-turns,type I, in *X*-Pro peptides, 1123
β-turns,type III, in *X*-Pro peptides, 1137
Two-chain coiled coils, detection of hybrids in, 925
Two-fold helix, of acridine orange around an extended polypeptide chain, 2395
Tyrocidins, conformational studies of, 1901
Tyrosine ionization of oxidized cytochrome *c*, 2253

Ultrastructure determination, of chitosan, 1413
—, of gel-forming, branched-chain chitosan derivatives, 1413
Unfolding transition, of lysozyme, 1691
Unwinding of DNA, its kinetics, 967
—, nonequilibrium melting curves, 967
—, in the presence of Mn^{2+} ions, 967
Urea, thermodynamic functions for binding to the peptide group, 817
UV-Absorption spectra,theoretical, of poly(L-Pro) I and II, 2311
UV-Absorption studies, of His-containing peptides, 65
UV studies, of amphotericin B aggregates, 1575

Vacuum ultraviolet CD studies, of acetylated glucans, 1183
—, of chondroitin–arginine complexes, 1565
Valinomycin, conformational studies of, 1901
Valinomycin–Ba^{2+} complex, CD studies of, 891
van't Hoff enthalpy, relation between thermal denaturation and, 1459
VCD studies, of $[Glu(OBzl)]_n$, 237(C)
Vibrational circular dichroism, See VCD
Viral φ29 DNA, structure of, 469
Viscoelastic properties, of hen egg white lysozyme, 451
Viscosity, of poly(L-Glu), 2567
Volume exclusion, by dextran sulfate, 1537
—, effect on DNA renaturation rates, 1537

Water, in hydrated keratin, 2649
Water-soluble carbodiimide, in synthesis of h-PTH, 1823
Water,structure of, solvating DNA, 2427
Worm–clam hybrid paramyosins, 925
Wormlike chains, hydrodynamics of, 1481
—, rotational diffusion of, 1481

X-ray, of Phe, Glu, Leu oligomers, 2073
X-ray crystallography studies, of cyclic peptides, 1913
X-ray diffraction studies, of N-protected alanines, 1635
—, of Z-(Aib-Pro)$_2$-OMe, 1123
X-ray fiber diffraction analysis, of pneumococcal polysaccharides, 2691(C)
X-ray scattering,small angle, in conformational study of poly(γ-methyl-L-glutamate), 2499
X-ray structure, of cellulose II hydrate, 2165
X-ray studies, of actinoxanthin, 679
—, conformation of bitter diketopiperazine in, 1985

Young's modules, technique for measurement of,for protein crystals, 451

Z-DNA conformation, of poly[d(G-C)]-poly[d(G-C)], 1329(C)

BIOPOLYMERS

Original Research on Biomolecules and Biomolecular Assemblies

Volume 20 • 1981

EDITOR

Murray Goodman, *University of California, San Diego, La Jolla, California 92093*

EDITORIAL BOARD

Victor Bloomfield, *Department of Biochemistry, University of Minnesota, St. Paul, Minnesota 55108*

Elkan Blout, *Harvard Medical School, Boston, Massachusetts 02115*

Charles R. Cantor, *Department of Chemistry, Columbia University, New York, New York 10027*

Elliot L. Elson, *Department of Biological Chemistry, Washington University, St. Louis, Missouri 63110*

Ephraim (Katchalski) Katzir, *The Weizmann Institute of Science, Rehovot, Israel*

David R. Kearns, *Department of Chemistry, University of California, San Diego, La Jolla, California 92093*

John Schellman, *Department of Chemistry, University of Oregon, Eugene, Oregon 97403*

ADVISORY BOARD

E. M. Bradbury	S. Krimm	G. N. Ramachandran	I. Tinoco
J. S. Cohen	C. H. Li	S. Sakakibara	P. Ts'o
D. Crothers	W. L. Mattice	H. A. Scheraga	A. Veis
G. Fasman	T. Miyazawa	P. R. Schimmel	G. Weill
G. Felsenfeld	W. Olson	I. C. P. Smith	R. W. Woody
I. L. Karle	Y. A. Ovchinnikov	I. Z. Steinberg	K. Wüthrich
M. Karplus	E. Peggion	A. Stone	B. H. Zimm

Constance Mullin, *Editorial Assistant*

an Interscience® Publication
published by JOHN WILEY & SONS

© 1981 by John Wiley & Sons, Inc.

Published monthly (covering one volume per year) by John Wiley & Sons, Inc. Copyright © 1981 by John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158. All rights reserved. Reproduction or translation of any part of this work beyond that permitted by Sections 107 or 108 of the United States Copyright Law without the permission of the copyright owner is unlawful. Second-class postage paid at New York, New York and at additional mailing offices.

The code and the copyright notice appearing at the bottom of the first page of an article in this journal indicate the copyright owner's consent that copies of the article may be made for personal or internal use, or for the personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The per-copy fee for each article appears after the dollar sign and is to be paid through the Copyright Clearance Center, Inc., 21 Congress Street, Salem, Massachusetts 01970. (The fee for articles published prior to 1978 is $1.00 per article.) This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the publisher.

Subscription price (1982): $325.00 per volume. Postage and handling outside U.S.A.: $30.00 by surface; $145.00 by air. Please allow four weeks for changes of address. Back volumes, microfilm, and microfiche are available for previous years. Request price list from publisher.

Claims for undelivered copies must be made no later than three months following the month of publication. Missing copies will be supplied when losses have been sustained in transit and where reserve stock will permit.

Biopolymers

Contents

Vol. 20, Issue Nos. 1–12, 1981

ISSUE NO. 1, JANUARY

Simulation of Conformational Possibilities of DNA via Calculation of Nonbonded Interactions of Complementary Dinucleoside Phosphate Complexes
V. I. Poltev, L. A. Milova, B. S. Zhorov, and V. A. Govyrin 1

New Synthesis of Somatostatin According to the *S-tert*-Butylthiocysteine Procedure
L. Moroder, M. Gemeiner, W. Goehring, E. Jaeger, P. Thamm, and E. Wünsch 17

Effect of Some Organic Cosolvents on the Reaction of Hemoglobin with Oxygen
L. Cordone, A. Cupane, P. L. San Biagio, and E. Vitrano 39

Temperature Dependence of the Effects of Some Monohydric Alcohols on the Oxygen Affinity of Hemoglobin: Determination and Analysis of Thermodynamic Parameters
L. Cordone, A. Cupane, P. L. San Biagio, and E. Vitrano 53

XII. Conformational Studies of Histidine-Containing Peptides in Solution
H. Jäckle and P. L. Luisi 65

Conformation and Dynamic Structure of Poly (Inosinic Acid) in Neutral Aqueous Solution by ^{1}H-, ^{2}H-, ^{13}C- and ^{13}P-NMR Spectroscopy
J. M. Neumann and S. Tran-Dinh 89

Kinetics of Nucleosome Unfolding at Low Ionic Strength
A. E. Dieterich and C. R. Cantor 111

Transport Properties of Oligomeric Subunit Structures
J. M. García Bernal and J. García de la Torre 129

Effect of Ionic Strength on the pK_a of Ligands Bound to DNA
R. L. Jones and W. D. Wilson 141

Laser Light-Scattering Analysis of the Dimerization of Transfer Ribonucleic Acids with Complementary Anticodons
C.-C. Wang, N. C. Ford, Jr., and M. J. Fournier 155

Rôle des Electrons π des Fonctions Amide et Ester dans les Peptides et Depsipeptides
G. Boussard and M. Marraud 169

Kinetic Studies of Spin Interconversion in Ferric Mixed-Spin Derivatives of Myoglobin
T. Sano, J. Ishibashi, N. Ikeda, T. Yasunaga, S. Ogawa, and I. Morishima 187

Evidence for the Binding States of Copper(II)–Serum Albumin Complexes as Revealed by Transient Electric Dichroism Measurements
A. Yamagishi 201

Dynamic Light-Scattering Studies of Internal Motions in DNA. III. Evidence for Titratable Joints Associated with Bound Polycations
S. C. Lin, J. C. Thomas, S. A. Allison, and J. M. Schurr 209

COMMUNICATIONS TO THE EDITOR

Dependence of DNA Conformation on the Concentration of Salt
N. Borochov, H. Eisenberg, and Z. Kam 231

Vibrational Circular Dichroism of Poly(γ-Benzyl-L-Glutamate)
R. D. Singh and T. A. Keiderling 237

Comment on "Fluctuations of Protein Structure"
H. R. Halvorson 241

Low-Frequency Modes in the Raman Spectrum of DNA
P. C. Painter, L. Mosher, and C. Rhoads 243

Information for Contributors 249

ISSUE NO. 2, FEBRUARY

Polyelectrolyte Contribution to the Persistence Length of DNA
J. M. Schurr and S. A. Allison 251

Quantum-Mechanical Study of Model Molecules in Relation to Collagen Structure. II. (Gly-Phe-Pro) and (Gly-Pro-Phe) Repeating Units
D. Cabrol, H. Broch, and D. Vasilescu 269

Conformational Studies of Peptides: Crystal and Molecular Structures of L-3,4-Dehydroproline and its *t*-Butoxycarbonyl and Acetyl Amide Derivatives
E. Benedetti, B. DiBlasio, V. Pavone, C. Pedone, A. Felix, and M. Goodman .. 283

Diffusion Coefficients for Rigid Macromolecules with Irregular Shapes That Allow Rotational-Translational Coupling
W. A. Wegener 303

Neutron-Scattering Studies of the Structure of Chromatin Core Particles in Solution
G. W. Braddock, J. P. Baldwin, and E. M. Bradbury 327

Hydrodynamic Behavior and Molecular Conformation of Poly(L-Lysine HBr) in Carbonate Buffer Solution
K. Kakiuchi and H. Akutsu 345

Physical Properties of Type I Collagen in Solution: Structure of α-Chains and β- and γ-Components and Two-Component Mixtures
F. H. Silver and R. L. Trelstad 359

Spectroscopic Investigations of Peptide 401 from Bee Venom
P. Walde, H. Jäckle, P. L. Luisi, C. J. Dempsey, and B. E. C. Banks 373

Theoretical π-π* Circular Dichroic Spectra of Helical Poly(glycine) and Poly(L-alanine) as Functions of Backbone Torsion Angles
J. Applequist 387

ISSUE NO. 3, MARCH

Electric Birefringence of Restriction Enzyme Fragments of DNA: Optical Factor and Electric Polarizability as a Function of Molecular Weight
N. C. Stellwagen 399

Interaction of the Antimalarial Drug Fluoroquine with DNA, tRNA, and Poly(A): ^{19}F-NMR Chemical-Shift and Relaxation, Optical Absorption, and Fluorescence Studies
P. H. Bolton, P. A. Mirau, R. H. Shafer, and T. L. James 435

Viscoelastic Properties of Protein Crystals: Triclinic Crystals of Hen Egg White Lysozyme in Different Conditions
V. N. Morozov and T. Ya. Morozova 451

Structure of Viral φ29 DNA Condensed by Simple Triamines: A Light-Scattering and Electron-Microscopy Study
S. A. Allison, J. C. Herr, and J. M. Schurr 469

Enantiomer Selection in the Addition Reaction of Optically Active 3-Methyl-5-Substituted Hydantoins to *N*-[(S)-α-methylbenzyl]glycine *N*-Carboxyanhydride: Model Reaction for the Stereoselective Polymerization of α-Amino Acid *N*-Carboxyanhydride
Y. Hashimoto and Y. Imanishi 489

Contribution from the Chirality of the Growing Chain to the Enantiomer Selectivity in Activated-NCA Polymerization of α-Amino Acid *N*-Carboxyanhydride
Y. Hashimoto and Y. Imanishi 507

A Theory of Aggregation in the Thermal Denaturation Region of Multistrand Biopolymers
J. H. Shibata and J. M. Schurr 525

Simulations of the Solvent Structure for Macromolecules. I. Solvation of B-DNA Double Helix at T = 300 K
G. Corongiu and E. Clementi 551

Spectroscopic Studies on the Structure of Poly(8-bromoadenylic acid): Effect of Glycosidic Torsion Angle on the Conformation and Flexibility in Polyribonucleotides
G. Govil, C. L. Fisk, F. B. Howard, and H. T. Miles 573

Physicochemical Parameters of Partially Hydrolyzed *S. salivarius* Levan Fractions
S. S. Stivala and J. E. Zweig 605

COMMUNICATIONS TO THE EDITOR

On the Determination of Globular Protein Volume in Solution by Small-Angle X-Ray Scattering
B. A. Fedorov 621

Temperature Dependence of Peptide NH Chemical Shifts in Benzene: Delineation of Solvent-Shielded and Exposed Amide Protons
Y. V. Venkatachalapathi and P. Balaram 625

Correlated Helix–Coil Transitions in Polypeptides
M. R. Pear, S. H. Northrup, J. A. McCammon, M. Karplus, and R. M. Levy ... 629

ISSUE NO. 4, APRIL

Conformational Aspects of Gastrin-Related Peptides: A Circular Dichroism Study
E. Peggion, E. Jaeger, S. Knof, K. Moroder, and E. Wuensch 633

Intrachain End-to-End Charge Transfer Interaction in Oligosarcosines
M. Sisido, Y. Kanazawa, and Y. Imanishi 653

Monte Carlo Simulation on the Intrachain End-to-End Charge-Transfer Interaction on Oligosarcosines
M. Sisido and Y. Imanishi 665

Three-Dimensional Structure of Actinoxanthin. III. A 4-Å Resolution
V. Z. Pletnev, A. P. Kuzin, S. D. Trakhanov, P. V. Kostetsky, V. A. Popovich, and I. N. Tsigannik 679

High-Resolution Study of the Helix–Coil Transition of Poly(L-Glutamic Acid): Spectroscopic Data Correlation and the Discovery of a New Transition
H. Hayashi and A. Wada 695

Stability and Geometry of Hydrogen-Bonded Complexes of Peptides
V. Madison, J. Lasky, and B. Currie 707

Structural Conformations of Nucleosomes at Low Ionic Strength from Flow Birefringence and Intrinsic Viscosity
R. E. Harrington 719

Binding of Ligands to a One-Dimensional Heterogeneous Lattice. I. General Model for the Calculation of Binding Isotherms by a Monte Carlo Approach
J. Sturm 753

Binding of Ligands to a One-Dimensional Heterogeneous Lattice. II. Intercalation of Tilorone with DNA and Polynucleotides
J. Sturm, L. Schreiber, and M. Daune 765

Kinetics of Activation and Desensitization in Receptor Proteins
M. I. Kanehisa 787

Proton and Phosphorus NMR Investigation of the Conformational States of Acid Polyadenylic Double Helix
D. B. Lerner and D. R. Kearns 803

Thermodynamic Interaction Between Urea and the Peptide Group in Aqueous Solutions at 25°C
H. Schönert and L. Stroth 817

Acoustic Modes and Nonbonded Interactions of the Double Helix
W. N. Mei, M. Kohli, E. W. Prohofsky, and L. L. Van Zandt 833

Calculated Microwave Absorption of Double-Helical B-Conformation Poly(dG)·Poly(dC)
M. Kohli, W. N. Mei, E. W. Prohofsky, and L. L. Van Zandt 853

ISSUE NO. 5, MAY

Theoretical Studies on β-Lactam Antibiotics. IV. Conformational Analysis of Novel β-Lactam Antibiotics and the Binding Specificities of Crosslinking Enzyme(s) and β-Lactamases
T. K. Vasudevan and V. S. R. Rao 865

Transient-Phase Energetics of the Oxidative Deamination of L-Glutamate by L-Glutamate Dehydrogenase and NADP: A Reaction with a Large Negative Heat Capacity of Activation
A. H. Colen, R. T. Medary, and H. F. Fisher 879

A Circular Dichroism Study of Valinomycin Barium Ion Complex
S. Devarajan and K. R. K. Easwaran 891

^{13}C-NMR Studies of ACTH: Assignment of Resonances and Conformational Features
F. Toma, S. Fermandjian, M. Lõw, and L. Kisfaludy 901

Interaction of Mn^{2+} with DNA as Studied by Proton-Relaxation Enhancement of Solvent Water
R. van Steenwinkel, F. Campagnari, and M. Merlini 915

Hetero-α-Helical, Two-Chain Coiled-Coils. Clam–Worm Hybrid Paramyosins
D. L. Crimmins and A. Holtzer 925

Cu(II)–Protamine Interaction. I. The Formation and Structure of Cu(II)–Clupeine Z Complexes
A. Garnier, L. Tosi, L. Mosoni, C. Toniolo, G. M. Bonora, and E. B. Paniago 951

Mechanism of DNA Denaturation in the Presence of Manganese Ions
A. P. Yurgaitis and Yu. S. Lazurkin 967

Molecular-Weight Dependence of the Low-Frequency Dielectric Properties of Aqueous Solutions of Gel-Fractionated DNA
R. J. Molinari, R. H. Cole, and J. H. Gibbs 977

Noninteracting Local-Structure Model of Folding and Unfolding Transition in Globular Proteins. I. Formulation
N. Gō and H. Abe 991

Noninteracting Local-Structure Model of Folding and Unfolding Transition in Globular Proteins. II. Application to Two-Dimensional Lattice Proteins
H. Abe and N. Gō 1013

Stabilities of Nearest-Neighbor Doublets in Double-Helical DNA Determined by Fitting Calculated Melting Profiles to Observed Profiles
O. Gotoh and Y. Tagashira 1033

Locations of Frequently Opening Regions on Natural DNAs and Their Relation to Functional Loci
O. Gotoh and Y. Tagashira 1043

Conformational Studies on Polynucleotide Chains. V. A Comparison between the Quantum-Mechanical and the Consistent Force Field Approach
C. Tosi and K. Rasmussen 1059

Does Perchlorate Ion Change A-U Combining Ratios?
F. B. Howard, K. B. Roy, J. Frazier, and H. T. Miles 1089

ISSUE NO. 6, JUNE

Kinetics of Chemical Modification of Arginine and Lysine Residues in Calf Thymus Histone H1
K. Mita, S. Ichimura, M. Zama, and K. Hamana 1103

Gel Filtration Studies of Methylene Blue–Heparin Interactions in Aqueous Solution
S. Kadokura, T. Miyamoto, and H. Inagaki 1113

X-Pro Peptides: Solution and Solid-State Conformation of Benzyloxycarbonyl-(Aib-Pro)$_2$-methyl Ester, a Type I β-Turn
Y. V. Venkatachalapathi, C. M. K. Nair, M. Vijayan, and P. Balaram 1123

X-Pro Peptides: Synthesis and Solution Conformation of Benzyloxycarbonyl-(Aib-Pro)$_4$-Methyl Ester. Evidence for a Novel Helical Structure
Y. V. Venkatachalapathi and P. Balaram 1137

Ionic Strength Effects on Macroion Diffusion and Excess Light-Scattering Intensities of Short DNA Rods
A. W. Fulmer, J. A. Benbasat, and V. A. Bloomfield 1147

Analysis of High-Resolution Thermal Dispersion Profiles of DNA: Treatment as a Collection of Discrete Subtransitions
W. S. Yen and R. D. Blake 1161

Vacuum-Ultraviolet Circular Dichroism of Acetylated Glucans
A. J. Stipanovic and E. S. Stevens 1183

Optical Anisotropies of Amides and Peptides in Dioxane
G. Khanarian, P. Mack, and W. J. Moore 1191

Relationship Between Proton–Proton NMR Coupling Constants and Substituent Electronegativities. III. Conformational Analysis of Proline Rings in Solution Using a Generalized Karplus Equation
C. A. G. Haasnoot, F. A. A. M. de Leeuw, H. P. M. de Leeuw, and C. Altona .. 1211

Elastin as a Random-Network Elastomer: A Mechanical and Optical Analysis of Single Elastin Fibers
B. B. Aaron and J. M. Gosline 1247

The Possibility of Intrinsic Local Curvature in DNA Toroids
G. S. Manning 1261

Optical Second-Harmonic Scattering in Rat-Tail Tendon
S. Roth and I. Freund 1271

Solvent and Side-Chain Contributions to the Two-*cis* ⇌ All-*trans* Equilibria of Cyclic Hexapeptides, *cyclo*(*Xxx*-Pro-D-*Yyy*)$_2$
K. D. Kopple, S. K. Sarkar, and G. Giacometti 1291

Thermodynamics and Equilibrium Sedimentation Analysis of the Close Approach of DNA Molecules and a Molecular Ordering Transition
A. A. Brian, H. L. Frisch, and L. S. Lerman 1305

COMMUNICATIONS TO THE EDITOR

CD Spectra of "Alternating B-" and "Z"-DNA
H. Vasmel and J. Greve 1329

Novel Cell for Light Scattering from Solutions
F. W. Wang and B. H. Zimm 1333

ISSUE NO. 7, JULY

Sequence Dependence of the Circular Dichroism of Synthetic Double-Stranded RNAs
D. M. Gray, J-J. Liu, R. L. Ratliff, and F. S. Allen 1337

Nearest-Neighbor and Next-Nearest-Neighbor Effects in the Proton NMR Spectra of the Oligoribonucleotides Ap*X*pG,Cp*X*pG, CpAp*X*pUpG, ApGp*X*pC, and ApGp*X*pCpU
R. A. Bell, J. R. Everett, D. W. Hughes, D. Alkema, P. Hader, T. Neilson, and P. J. Romaniuk 1383

n-Mer Binding on a One-Dimensional Lattice of Two-State *m*-Site Cells: Heavy Meromyosin on Regulated Actin as an Example
T. Tsuchiya and T. L. Hill 1399

Ultrastructure of Chitosan and Some Gel-Forming, Branched-Chain Chitosan Derivatives
L. D. Hall, M. Yalpani, and N. Yalpani 1413

Conformational Properties of Central Nervous System Myelin Basic Protein, β-Endorphin, and β-Lipotropin in Water and in the Presence of Anionic Lipids
W. L. Mattice and R. M. Robinson 1421

Helix–Coil Stability Constants for Amino Acids in Nonaqueous Solvents. Studies of Random Poly(γ-benzyl-L-glutamate-co-L-alanine) and Poly(γ-benzyl-L-glutamate-co-L-leucine) in a Mixed Solvent
S. Sridhara, V. S. Ananthanarayanan, R. A. Fredrickson, B. O. Zweifel, G. T. Taylor, and H. A. Scheraga 1435

An Equilibrium Folding Intermediate Detected in the Thermal Unfolding Transition of Ribonuclease S by Circular Dichroism
A. M. Labhardt 1459

Monte Carlo Approach to the Analysis of the Rotational Diffusion of Wormlike Chains
P. J. Hagerman and B. H. Zimm 1481

Investigation of the Flexibility of DNA Using Transient Electric Birefringence
P. J. Hagerman 1503

One Hundred-Fold Acceleration of DNA Renaturation Rates in Solution
R. Wieder and J. G. Wetmur 1537

Isodichroic Point and the β–Random Coil Transition of Poly(*S*-carboxymethyl-L-cysteine) in the Absence of Added Salt
H. Maęda and K. Ooi 1549

Vacuum-Ultraviolet Circular Dichroism of Chondroitins and Their Complexes with Poly(L-Arginine)
A. J. Stipanovic and E. S. Stevens 1565

ISSUE NO. 8, AUGUST

Structure of Amphotericin B Aggregates as Revealed by UV and CD Spectroscopies
C. Ernst, J. Grange, H. Rinnert, G. Dupont, and J. Lematre 1575

Properties of P-Form DNA as Revealed by Circular Dichroism
M. H. Zehfus and W. C. Johnson, Jr. 1589

NMR Study of Poly(aspartic acid). I. α- and β-Peptide Bonds in Poly(aspartic acid) Prepared by Thermal Polycondensation
H. Pivcová, V. Saudek, J. Drobník, and J. Vlasák 1605

NMR Study of Poly(aspartic acid). II. α- and β-Peptide Bonds in Poly(aspartic acid) Prepared by Common Methods
V. Saudek, H. Pivcová, and J. Drobník 1615

Use of Potentiometric Titration for Determination of α- and ω-Peptide Bonds in Poly(aspartic acid) and Poly(glutamic acid)
V. Saudek 1625

Self-Association of N-Protected α-Amino Acids. Optically Active and Racemic *N-tert*-Butyloxycarbonyl-Alanine
E. Benedetti, B. di Blasio, V. Pavone, C. Pedone, C. Toniolo, and G. M. Bonora 1635

Kinetics of Nucleic Acid–Large Ligand Interactions: Multiplet-Closure Approximations and Matrix-Iteration Techniques
C. Dateo and I. R. Epstein 1651

Proton Magnetic Resonance Study of Nucleosides, Nucleotides, and Dideoxynucleoside Monophosphates Containing a *Syn* Pyrimidine Base
W. P. Niemczura, F. E. Hruska, K. L. Sadana, and P. C. Loewen 1671

Rates of Structural Fluctuations of Lysozyme in the Range of Thermal Unfolding Transition
S.-I. Segawa, M. Nakayama, and M. Sakane 1691

Conformational and Structural Constraints in Double-Helical Polynucleotides
P. de Santis, S. Morosetti, A. Palleschi, and M. Savino 1707

Conformational Analysis of Double-Stranded B-Type DNA Structures
P. de Santis, S. Morosetti, A. Palleschi, and M. Savino 1727

COMMUNICATIONS TO THE EDITOR

Somatostatin-28: A Conformational Analysis
E. Wünsch, E. Jaeger, L. Moroder, E. Peggion, and M. Palumbo 1741

Effect of Poly(ethylene glycol) on Protein Denaturation and Model Compound pK_a's
D. A. Knoll and J. Hermans 1747

A Procedure for Extracting Persistence Lengths from Light-Scattering Data on Intermediate Molecular Weight DNA
G. S. Manning 1750

ISSUE NO. 9, SEPTEMBER

Editor's Note 1757

Shiro Akabori 1759

Why Peptide Synthesis Continues to Remain a Formidable Challenge
J. Meienhofer 1761

Synthesis of Biologically Active Cyclic Peptides
N. Izumiya, T. Kato, and M. Waki 1785

The Amine Capture Strategy for Peptide Bond Formation—An Outline of Progress
D. S. Kemp 1793

Protection During Peptide Synthesis: Some New Directions
G. T. Young 1805

Studies on 2-Aziridinecarboxylic Acid Peptides: Their Reaction and Uses
K. Okawa and K. Nakajima 1811

Strategy for the Synthesis of Large Peptides: An Application to the Total Synthesis of Human Parathyroid Hormone [hPTH(1–84)]
T. Kimura, M. Takai, Y. Masui, T. Morikawa, and S. Sakakibara 1823

Solid-Phase Synthesis of Larger Peptides By a New Strategy of Detachment from the Resin
C-I. Niu, S-Z. Yang, A-Q. Ma, Y-N. Chen, Y-Q. Jiang, and W-T. Huang 1833

Semisynthesis and Properties of Some Insulin Analogs
K. Inouye, K. Watanabe, Y. Tochino, M. Kobayashi, and Y. Shigeta 1845

Totally Synthetic Crystalline Ribonuclease A
H. Yajima and N. Fujii 1859

A New Method for the Determination of Optical Purity of Synthetic Peptides
S. Kusumoto, M. Matsukura, and T. Shiba 1869

Influence of Interatomic Interactions on the Structure and Stability of Polypeptides and Proteins
H. A. Scheraga 1877

Cyclic Peptides: Past, Present, and Future
E. R. Blout 1901

On the Location of β-Turns
K. D. Kopple 1913

β-Turn Preference of Tetrapeptide Sequences as Analyzed by CD Spectra of Their Dnp-pNA Derivatives
K. Sato, M. Kawai, and U. Nagai 1921

NMR Studies on Linear Homo-Oligopeptides: A Perspective View
M. Goodman and R. P. Saltman 1929

NMR Analyses of Conformations of Linear Peptides in Solution
T. Miyazawa and T. Higashijima 1949

Conformer Equilibria of Triostin A and its Conformer-Specific Interaction with Nucleic Acid Bases
Y. Kyogoku, N. Higuchi, M. Watanabe, and K. Kawano 1959

Conformation and Activity in Angiotensin II Peptides
S. Fermandjian, F. Piriou, C. Sakarellos, K. Lintner, M. C. Khosla, R. R. Smeby, and F. M. Bumpus 1971

Some Aspects of the Relationship Between the Structure of a Bitter Diketopiperazine and its Receptor
T. Shiba, H. Uratani, I. Kubota, and Y. Sumi 1985

Mutations and Protein Stability
J. A. Schellman, M. Lindorfer, R. Hawkes, and M. Grutter 1989

Design of Protease Inhibitors
M. A. Ondetti and D. W. Cushman 2001

Tobacco Mosaic Virus as a Carrier for Small Molecules: Artificial Receptor Antibodies and Superhormones
R. Schwyzer and V. M. Kriwaczek 2011

Application of the Two-Dimensional NMR Techniques on a Des(Ala,Gly)-Somatostatin Analog
Y. Kobayashi, Y. Kyogoku, J. Emura, and S. Sakakibara 2021

COMMUNICATIONS TO THE EDITOR

The Future of Peptide Chemistry
M. A. Ondetti 2033

ISSUE NO. 10, OCTOBER

Early Stages of Fibrinogen to Fibrin Conversion Studied by Static and Dynamic Light Scattering
P. Wiltzius, W. Känzig, V. Hofmann, and P. W. Straub 2035

Conformation of Amylose–Iodine–Iodide Complex in Aqueous Solution
T. Handa and H. Yajima 2051

Synthesis and Conformational Characterization in the Solid State of Peptides Consisting of L-Phenylalanyl-L-Phenylalanylglycyl and L-Phenylalanyl-L-Leucylglycyl Residues
R. Katakai and Y. Nakayama 2073

The Equivalent Conductivity of Aqueous Salt-Free Solutions of DNA: Influence of Univalent Counterions
I. A. Kuznetsov and N. V. Apolonnik 2083

Excluded Volume as a Determinant of Macromolecular Structure and Reactivity
A. P. Minton 2093

Quantitative Test of Record's Theory for Proton-Induced Lowering of DNA Melting Temperature
F. Mingot 2121

Effects of Some Organic Cosolvents on the Functional Properties of Hemoglobin: Kinetics of O_2 Displacement by CO
L. Cordone and A. Cupane 2137

Flow Dichroism of T7 DNA as a Function of Salt Concentration
V. Rizzo and J. Schellman 2143

Structure of Cellulose II Hydrate
D. M. Lee and J. Blackwell 2165

Electrostatic Interactions in Ionic Homopolypeptides in Solutions of Moderate Ionic Strength
G. Santiago, R. C. Maroun, E. R. Hawkins, and W. L. Mattice 2181

Influence of the Telopeptides on Type I Collagen Fibrillogenesis
M. Brennan and P. F. Davison 2195

Conformational Studies of the Pentapeptides with Weak Adrenocorticotropin (ACTH) Activities by Means of Nuclear Magnetic Resonance Spectroscopy
N. Higuchi, Y. Kyogoku, and H. Yajima 2203

Interaction of Calcium Ions with α-Elastin: An Equilibrium Dialysis, Circular Dichroism, and Microcalorimetric Study
M. Terbojevich, M. Palumbo, A. Cosani, E. Peggion, L. Gotte, and S. Garbisa 2213

Free-Sliding Ligands: An Alternative Model of DNA–Protein Interactions
C. P. Woodbury, Jr. 2225

Analysis of the Potentiometric Titration of Reduced Horse Heart Cytochrome *c*
M. A. Marini, C. J. Martin, and L. Forlani 2243

Analysis of the Ionization Constants and Heats of Ionization of Reduced and Oxidized Horse Heart Cytochrome *c*
M. A. Marini, C. J. Martin, R. L. Berger, and L. Forlani 2253

Comparison of Poisson-Boltzmann and Condensation Model Expressions for the Colligative Properties of Cylindrical Polyions
B. K. Klein, C. F. Anderson, and M. T. Record, Jr. 2263

COMMUNICATIONS TO THE EDITOR

The Precipitation of DNA by Spermine
J. A. Subirana and J. L. Vives 2281

Announcement 2285

ISSUE NO. 11, NOVEMBER

Polarized Luminescence and Mobility of Tryptophan Residues in Polypeptide Chains
G. V. Semisotnov, K. Kh. Zikherman, S. B. Kasatkin, O. B. Ptitsyn, and E. V. Anufrieva 2287

Theoretical π-π^* Absorption and Circular Dichroic Spectra of Helical Poly(L-proline) Forms I and II
J. Applequist 2311

Binding of Multivalent Ligands to Mobile Receptors in Membranes
J. D. Dwyer and V. A. Bloomfield 2323

Theoretical Evidence for the Coupling of Winding to Compression in the Solution Conformation of Duplex DNA
G. S. Manning 2337

pH-Dependent Raman Spectra and Thermal Melting Profiles for Polycytidylic Acid
T. O'Connor and W. M. Scovell 2351

Transient Electric Birefringence Study of the Length and Stiffness of Short DNA Restriction Fragments
J. G. Elias and D. Eden 2369

Quasielastic Light-Scattering Study of Polyadenylic Acid Solutions. II
P. Mathiez, C. Mouttet, and G. Weisbuch 2381

Induced Circular Dichroism and Mode of Binding of Acridine Orange Adsorbed on β-Form Poly(S-carboxyethyl-L-cysteine) in Aqueous Solutions
S. Ikeda, T. Yoshida, and T. Imae 2395

Determination of Molecular Weight by Neutron Scattering
B. Jacrot and G. Zaccai 2413

Simulations of the Solvent Structure for Macromolecules. II. Structure of Water Solvating Na^+-B-DNA at 300 K and a Model for Conformational Transitions Induced by Solvent Variations
G. Corongiu and E. Clementi 2427

ISSUE NO. 12, DECEMBER

Structure in Solution of Biscyclo(dipeptide) Restricted by CSSC *Gauche* Effect
N. Ueyama and T. Araki 2485

Conformation Study of Poly (γ-methyl-L-glutamate) in Helicogenic Solvents by Small-Angle X-Ray Scattering
Y. Ishimuro, S. Yamaguchi, F. Hamada, and A. Nakajima 2499

DNA and RNA Oligomer Thermodynamics: The Effect of Mismatched Bases on Double-Helix Stability
J. W. Nelson, F. H. Martin, and I. Tinoco, Jr. 2509

Condensed States of Nucleic Acids. III. Ψ(+) and Ψ(−) Conformational Transitions of DNA Induced by Ethanol and Salt
R. Huey and S. C. Mohr 2533

Structure of Micelles Formed by Monodisperse Hexa-(γ-benzyl-L-glutamate) in Solution
T. Imae, K. Okahashi, and S. Ikeda 2553

Dielectric Studies of Aqueous Solutions of Poly(L-glutamic acid)
H. Nakamura and A. Wada 2567

Studies of Nucleotide Conformations and Interactions. The Relative Stabilities of Double-Helical B-DNA Sequence Isomers
P. A. Kollman, P. K. Weiner, and A. Dearing 2583

NMR Studies of the Rates of Proline *Cis-Trans* Isomerization in Oligopeptides
C. Grathwohl and K. Wüthrich 2623

Methacrylate Polymerization by AzoRNA: Potential Usefulness for Chromosomal Localization of Genes
R. F. Hartman, G. L. Brown, and S. D. Rose 2635

Free Water in Hair Keratin? A Depolarization Thermal-Current Study
J. L. Leveque, J. C. Garson, P. Pissis, and G. Boudouris 2649

High-Field Magnetic Birefringence Study of the Structures of Rodlike Phages Pf1 and fd in Solution
J. Torbet and G. Maret 2657

Dependence of Laser Light Scattering of DNA on NaCl Concentration
Z. Kam, N. Borochov, and H. Eisenberg 2671

COMMUNICATIONS TO THE EDITOR

Pneumococcal Polysaccharide Conformations
W. T. Winter and I. Adelsky 2691

Thermal Stability of Acid-Soluble Basement Membrane Collagen Aggregates
J. J. Sauk and M. Roszkowski 2695

Resonance Inverse Raman Spectra of β-Carotene and Carotenoid in Photosynthetic Bacteria
K. Kubota, S. Kuroda, and Y. Koyama 2701

Author Index 2707

Subject Index 2717

Information for Contributors 2731

Volume Contents iii